


1. MCR コース卒業生累積数

課程	人数(人)
MCR 専科生	45
MCR 受講生	38
(内訳) 社会健康医学系専攻 専門職学位課程(2年コース)	(6)
社会健康医学系専攻 博士後期課程	(8)
医学専攻 博士課程	(23)
MCR 科目履修コース(コース 375)	(1)
	83

2. MCR コース卒業生の進路




大学教員・研究員 (30%)	教授	1
	准教授	2
	講師	5
	助教	15
	研究員	2
臨床医 (28%)	大学病院	5
	市中病院・診療所	18
大学院生 (40%)	博士課程 京都大学	26
	他大学	0
	修士課程 京都大学	2
	研究生 京都大学	5
不明 (2%)		2
全数		83(人)

(2013年4月)

3. MCR コース卒業生業績

<英語原著論文掲載数(年間:2012年12月現在までの推移)>



英文原著論文総数(2005年4月～2013年3月掲載分とin press含む)

178編

うちMCR専科生

124編

うちMCR受講生(博士課程等)等

54編

国際学会発表数(2005年4月～2013年5月)

101編

国際学会優秀賞受賞者 7人

福間真悟

ERA-EDTA 2013 Annual Congress (2013年, Istanbul)において”The best abstract award”受賞

浅井啓太

Scientific Meeting of the International Society of Hypertension (2012年, シドニー)において”Special Travel Grant”受賞

中尾葉子

EuroPRevent (2012年, ダブリン)において ”Winner of the best original scientific work in the Poster session” 受賞

福間真悟

ヨーロッパ腎臓学会(2011年, プラハ)において”Best Abstracts presented by Young Authors” 受賞

川口武彦

ヨーロッパ腎臓学会(2008年, スtockホルム)において”Best Abstracts presented by young Authors” 受賞

長谷川毅

ヨーロッパ腎臓学会(2007年, バルセロナ)において”Eleven best abstracts presented by young authors” 受賞

石見拓

アメリカ心臓学会において“Young Investigator Award, AHA” 受賞

京都大学医学研究科 社会健康医学系専攻

MCR コース院生（一期～八期生：平成 18～25 年卒）業績

（2013 年 5 月末日現在）

下線は MCR コース院生。

英文原著

<In press>

1. Kurita N, Yamazaki S, Fukumori N, Otoshi N, Sekiguchi M, Onishi Y, Takegami M, Ono R, Horie S, Konno S, Kikuchi S, Fukuhara S. Overactive bladder symptom severity is associated with falls and might greatly contribute to falls in community-dwelling adults: LOHAS study. *BMJ Open*. (in press)
2. Arimura Y, Yamazaki S, Yanagi S, Matsumoto N, Takegami M, Hayashino Y, Fukuhara S, Nakazato M. Clinical Usefulness of the Two-question Assessment Tool for Depressive Symptoms in Japanese Patients with Chronic Obstructive Pulmonary Disease. *Lung*. (in press)
3. Hayashino Y, Jackson JL, Fukumori N, Nakamura F, Fukuhara S. Effects of supervised exercise on lipid profiles and blood pressure control in patients with type 2 diabetes mellitus: A meta-analysis of randomized controlled trials. *Diabetes Research and Clinical Practice*. (in press)
4. Higashi T, Nakamura F, Saruki N, Takegami M, Hosokawa T, Fukuhara S, Nakayama T, Sobue T. Evaluation of Newspaper Articles for Coverage of Public Reporting Data - A Case Study of Unadjusted Cancer Survival Data. *Japanese Journal of Clinical Oncology*. (in press)
5. Huang B, Takahashi K, Yamazaki T, Saito K, Yamori M, Asai K, Yoshikawa Y, Kamioka H, Yamashiro T, Bessho K. Assessing anteroposterior basal bone discrepancy with the Dental Aesthetic Index. *Angle Orthod*. (in press).
6. Kakudate N, Morita M, Fukuhara S, Sugai M, Nagayama M, Kawanami M, Chiba I. Developing a scale to assess maternal psychological status with regard to children's oral care. *International Journal of Psychology Research*. (in press).
7. Katsura M, Kuriyama A, Takeshima T, Fukuhara S & Furukawa TA. Preoperative inspiratory muscle training for postoperative pulmonary complications in adult patients undergoing cardiac and major abdominal surgery [Protocol]. *Cochrane Database of Systematic Reviews*. (in press)

8. Kawano T, Nishiyama K, Anan H, Tsujimura Y. Direct relationship between aging and overcrowding in the ED, and a calculation formula for demand projection: a cross-sectional study. *Emerg Med J* (in press).
9. Kurita N, Kotera N, Ishimoto Y, Tanaka M, Tanaka S, Toda N, Fujii A, Kobayashi K, Sugimoto T, Mise N. AA amyloid nephropathy with predominant vascular deposition in Crohn's disease. *Clinical Nephrology*. (in press)
10. Nakamura F, Hayashino Y, Nishiuchi T, Kakudate N, Takegami M, Yamamoto Y, Yamazaki S, Fukuhara S. Contribution of out-of-hospital factors to a reduction in cardiac arrest mortality due to witnessed ventricular fibrillation or tachycardia. *Resuscitation*. (in press)
11. Nakamura F, Higashi T. Pattern of prophylaxis administration for chemotherapy-induced nausea and vomiting: an analysis of city-based health insurance data. *International Journal of Clinical Oncology*. (in press)
12. Nishi H, Shibagaki Y, Kido R, Tamura S, Nangaku M, Sugawara Y, Fujita T. Chronic renal outcome after living donor liver transplantation. *Clin Transplant*. (in press)
13. Sato H, Inoue H, Kobayashi Y, Maselli R, Grace R, Igarashi K, Yoshida A, Ikeda H, Onimaru M, Aoyagi Y, Kudo SE. How to control severe strictures after circumferential endoscopic submucosal dissection for esophageal carcinomas? – Oral steroid therapy with balloon dilatation or balloon dilatation alone *GIE* (in press)
14. Shimamoto Y, Fukuda T, Tominari S, Fukumoto K, Ueno K, Dong M, Tanaka K, Shirasaka T, Komori K. Decreased vancomycin clearance in patients with congestive heart failure. *Eur J Clin Pharmacol*. (in press).
15. Takahashi G, Matsuzaki Z, Okamoto A, Ito E, Matsuoka T, Nakayama T, Masuyama K. A randomized control trail of stepwise treatment with fluticasone propionate nasal spray and fexofenadine hydrochloride tablet for seasonal allergic rhinitis. *Allergol Int*. (in press)
16. Tokumasu H, Hinotsu S, Kita F, Kawakami K. Predictive value of clinical chorioamnionitis in extremely premature infants. *Pediatrics international*. (In press)
17. Tsugihashi Y, Kakudate N, Yokoyama Y, Yamamoto Y, Mishina H, Fukumori N, Nakamura F, Takegami M, Ohno S, Wakita T, Watanabe K, Yamaguchi T, Fukuhara S. A novel internet-based blended learning program providing core competency in clinical research. *Journal of Evaluation in Clinical Practice*. (in press)
18. Yokoyama Y, Sasaki S, Suzukamo Y, Yamazaki S, Takegami M, Kakudate N, Hasegawa T, Haga M, Kawaguchi T, Moriya T, Hotta O, Fukuhara S, for the Dialysis Nutrition Research Group. Interpersonal psychosocial factors associated with underreported dietary energy intake in hemodialysis patients. *Journal of Renal Nutrition*. (in press)

<2013 年>

19. Fan X, Yoshida Y, Honda S, Matsumoto M, Sawada Y, Hattori M, Hisanaga S, Hiwa R, Nakamura F, Tomomori M, Miyagawa S, Fujimaru R, Yamada H, Sawai T, Ikeda Y, Iwata N, Uemura O, Matsukuma E, Aizawa Y, Harada H, Wada H, Ishikawa E, Ashida A, Nangaku M, Miyata T, Fujimura Y. Analysis of genetic and predisposing factors in Japanese patients with atypical hemolytic uremic syndrome. *Mol Immunol*. 2013;54(2):238-46.
20. Honda M, Kuriyama A, Noma H, Nunobe S, Furukawa TA. Hand-Sewn Versus Mechanical Esophagogastric Anastomosis After Esophagectomy: A Systematic Review and Meta-Analysis. *Annals of Surgery* 2013; 257(2): 238-248.
21. Murata Y, Wada M, Kawashima A, Kagawa K. Early Diagnosis of Lemierre's Syndrome Based on a Medical History and Physical Findings. *Internal Medicine*. 2013;52(2):285-8.
22. Tomizawa N, Nojo T, Akahane M, Torigoe R, Kiryu S, Ohtomo K. Shorter delay time reduces interpatient variability in coronary enhancement in coronary CT angiography using the bolus tracking method with 320-row CT. *Int J Cardiovasc Imaging*. 2013 Jan;29(1):185-90.

<2012 年>

23. Chikamatsu K, Ishii H, Takahashi G, Okamoto A, Moriyama M, Sakakura K, Masuyama K. Resistance to apoptosis-inducing stimuli in CD44+ head and neck squamous cell carcinoma cells. *Head Neck*. 2012; 34(3):336-43.
24. Fuji S, Nakamura F, Hatanaka K, Taniguchi S, Sato M, Mori S, Sakamaki H, Yabe H, Miyamoto T, Kanamori H, Ueda Y, Kawa K, Kato K, Suzuki R, Atsuta Y, Tamaki T, Kanda Y. Peripheral blood as a preferable source of stem cells for salvage transplantation in patients with graft failure after cord blood transplantation: a retrospective analysis of the registry data of the Japanese Society for Hematopoietic Cell Transplantation. *Biol Blood Marrow Transplant*. 2012; 18: 1407-14.
25. Fukagawa M, Fukuma S, Onishi Y, Yamaguchi T, Hasegawa T, Akizawa T, Kurokawa K, Fukuhara S. Prescription Patterns and Mineral Metabolism Abnormalities in the Cinacalcet Era: Results from the MBD-5D Study. *Clin J Am Soc Nephrol*. 2012; 7(9):1473-1480.
26. Fukuma S, Yamaguchi T, Hashimoto S, Nakai S, Iseki K, Tsubakihara Y, Fukuhara S. Erythropoiesis-Stimulating Agent Responsiveness and Mortality in Hemodialysis Patients: Results from a Cohort Study From the Dialysis Registry in Japan. *Am J Kidney Dis*. 2012; 59(1): 108-116
27. Hasegawa T, Kinugasa E, Akizawa T. Mortality of Japanese dialysis patients versus that of US counterparts. Dialysis: History, Development and Promise. *World Scientific Pub Co Inc*. 2012/6/30: 647-656.

28. Hosokawa S, Mizuta K, Takahashi G, Okamura J, Takizawa Y, Hosokawa K, Yamatodani T, Mineta H. Surgical approach for treatment of carcinoma of the anterior wall of the external auditory canal. *Otol Neurotol*. 2012;33(3):450-4.
29. Jackson JL, Kuriyama A, Hayashino Y. Botulinum toxin A for prophylactic treatment of migraine and tension headaches in adults: a meta-analysis. *JAMA* 2012; 307: 1736-45.
30. Kawaguchi T, Takeda A, Ogiyama Y, Yamauchi Y, Murata M, Suzuki T, Otsuka Y, Horike K, Inagumi D, Morozumi K. Peculiar Renal Endarteritis in a patient with Acute Endocapillary Proliferative Glomerulonephritis. *Clin Nephrol*. 2012; 77(2):151-5
31. Kawarazaki H, Shibagaki Y, Kido R, Nakajima I, Fuchinoue S, Ando K, Fujita T, Fukagawa M, Teraoka S, Fukumoto S. Kidney transplantation restored uncoupled bone turnover in end-stage renal disease. *Clin Nephrol*. 2012; 78(1): 10-6.
32. Kinjo Y, Kurita N, Nakamura F, Okabe H, Tanaka E, Kataoka Y, Itami A, Sakai Y, Fukuhara S. Effectiveness of combined thoracoscopic-laparoscopic esophagectomy: comparison of postoperative complications and midterm oncological outcomes in patients with esophageal cancer. *Surgical Endoscopy*. 2012; 26(2):381-90.
33. Kobayashi Y, Hayashino Y, Jackson JL, Takagaki N, Hinotsu S, Kawakami K Diagnostic performance of chronoendoscopy and narrow band imaging for colonic neoplasms: a meta-analysis. *Colorectal Dis*. 2012; 14(1): 18-28.
34. Kuroda H, Takikawa Y, Onodera M, Kakisaka K, Yoshida Y, Kataoka K, Sawara K, Miyamoto Y, Oikawa K, Endo R, Suzuki K. Serial changes of liver stiffness measured by acoustic radiation force impulse imaging in acute liver failure: A case report. *J Clin Ultrasound*. 2012;40(2):99-104.
35. Masumoto H, Matsuo T, Yamamizu K, Uosaki H, Narazaki G, Katayama S, Marui A, Shimizu T, Ikeda T, Okano T, Sakata R, Yamashita JK. Pluripotent stem cell-engineered cell sheets reassembled with defined cardiovascular populations ameliorate reduction in infarct heart function through cardiomyocyte-mediated neovascularization. *Stem Cells*. 2012; 30(6): 1196-205.
36. Miyashita J, Shimada T, Hunter AJ, Kamiya T. Impact of hyponatremia and the syndrome of inappropriate antidiuresis on mortality in elderly patients with aspiration pneumonia. *J Hosp Med*. 2012; 7: 464-9
37. Nakai S, Iseki K, Itami N, Ogata S, Kazama JJ, Kimata N, Shigematsu T, Shinoda T, Shoji T, Suzuki K, Taniguchi M, Tsuchida K, Nakamoto H, Nishi H, Hashimoto S, Hasegawa T, Hanafusa N, Hamano T, Fujii N, Masakane I, Marubayashi S, Morita O, Yamagata K, Wakai K, Wada A, Watanabe Y, Tsubakihara Y. An overview of regular dialysis treatment in Japan. *Ther Apher Dial*. 2012;16(6):483-521.

38. Nakai S, Suzuki K, Masakane I, Wada A, Itami N, Ogata S, Kimata N, Shigematsu T, Shinoda T, Syouji T, Taniguchi M, Tsuchida K, Nakamoto H, Nishi S, Nishi H, Hashimoto S, Hasegawa T, Hanafusa N, Hamano T, Fujii N, Marubayashi S, Morita O, Yamagata K, Wakai K, Watanabe Y, Iseki K, Tsubakihara Y. Overview of regular dialysis treatment in Japan. *Ther Apher Dial*. 2012;16(1):11-53.
39. Nakao YM, Miyawaki T, Yasuno S, Nakao K, Tanaka S, Ida M, Hirata M, Kasahara M, Hosoda K, Ueshima K, Nakao K. Intra-abdominal fat area is a predictor for new onset of individual components of metabolic syndrome: METabolic syndROME and abdominal Obesity (MERLOT study). *Proc Jpn Acad Ser B Phys Biol Sci*. 2012;88(8):454-61.
40. Nakao YM, Teramukai S, Tanaka S, Yasuno S, Fujimoto A, Kasahara M, Ueshima K, Nakao K, Hinotsu S, Nakao K, Kawakami K. Effects of renin-angiotensin system blockades on cardiovascular outcomes in patients with diabetes mellitus: A systematic review and meta-analysis. *Diabetes Res Clin Pract*. 2012 Apr; 96(1): 68-75.
41. Otani K, Takegami M, Fukumori N, Sekiguchi M, Onishi Y, Yamazaki S, Ono R, Otoshi K, Hayashino Y, Fukuhara S, Kikuchi S, Konno S, the LOHAS Research Group. Locomotor dysfunction and risk of cardiovascular disease, quality of life, and medical costs: design of the Locomotive Syndrome and Health Outcome in Aizu Cohort Study (LOHAS) and baseline characteristics of the study population. *Journal of Orthopaedic Science*. 2012; 17: 261-71.
42. Perl J, Zhang J, Gillespie B, Wikström B, Fort J, Hasegawa T, Fuller DS, Pisoni RL, Robinson BM, Tentori F. Reduced survival and quality of life following return to dialysis after transplant failure: the Dialysis Outcomes and Practice Patterns Study. *Nephrol Dial Transplant*. 2012; 27(12): 4464-4472.
43. Risahmawati, Emura S, Nishi T, Dini Widiarni Widodo, Irawati Ismail, Sugioka T, Koizumi S. A comparative assessment of attitudes, knowledge and self-perceived barrier to the practice of evidence based medicine in Japan and Indonesia. *J. Med. Med. Sci*. 2012; 3: 16-29.
44. Sakushima K, Tsuboi S, Yabe I, Hida K, Terae S, Uehara R, Nakano I, Sasaki H. Nationwide survey on the epidemiology of syringomyelia in Japan. *J Neurol Sci*. 2012; 313: 147-52
45. Shin SD, Ong ME, Tanaka H, Ma MH, Nishiuchi T, Alsakaf O, Karim SA, Khunkhlai N, Lin CH, Song KJ, Ryoo HW, Ryu HH, Tham LP, Cone DC. Comparison of emergency medical services systems across Pan-Asian countries: a Web-based survey. *Prehosp Emerg Care*. 2012; 16(4): 477-96.
46. Sugioka T, Kubota Y, Wakayama K, Kimura S. Severe steroid-resistant thrombocytopenia secondary to cytomegalovirus infection in an immunocompetent adult. *Intern Med*. 2012; 51: 1747-50.

47. Suzuki K, Endo R, Kohgo Y, Ohtake T, Ueno Y, Kato A, Suzuki K, Shiraki R, Moriwaki H, Habu D, Saito M, Nishiguchi S, Katayama K, Sakaida I for the Japanese Nutritional Study Group for Liver Cirrhosis 2008 (JNUS2008). Guidelines on nutritional management in Japanese patients with liver cirrhosis from the perspective of preventing hepatocellular carcinoma. *Hepatol Res.* 2012;42:621–6.
48. Takenouchi T, Enomoto K, Nishida T, Torii C, Okazaki T, Takahashi T, Kosaki K. 12q14 microdeletion syndrome and short stature with or without relative macrocephaly. *Am J Med Genet A.* 2012;158A(10):2542–4.
49. Tomizawa N, Nojo T, Akahane M, Torigoe R, Kiryu S, Ohtomo K. Adaptive/iterative Dose Reduction in coronary CT angiography using 320–row CT: assessment of radiation dose reduction and image quality. *J Cardiovasc Comput Tomogr.* 2012 Sep–Oct; 6(5):318–24.
50. Tomizawa N, Nojo T, Akahane M, Torigoe R, Kiryu S, Ohtomo K. Prediction of the attenuation of the ascending aorta using bolus–tracking parameters and heart rate in coronary computed tomography angiography. *Eur J Radiol.* 2012 Nov;81(11):3250–3.
51. UCAS Japan Investigators, Morita A, Kirino T, Hashi K, Aoki N, Fukuhara S, Hashimoto N, Nakayama T, Sakai M, Teramoto A, Tominari S, Yoshimoto T. The natural course of unruptured cerebral aneurysms in a Japanese cohort. *N Engl J Med.* 2012;366(26):2474–82.
52. Watanabe D, Yoshino M, Yagura H, Hirota K, Yonemoto H, Bando H, Yajima K, Koizumi Y, Otera H, Tominari S, Nishida Y, Kuwahara T, Uehira T, Shirasaka T. Increase in serum mitochondrial creatine kinase levels induced by tenofovir administration. *J Infect Chemother.* 2012;18(5):675–82.
53. Yamamoto K, Sumi E, Yamazaki T, Asai K, Yamori M, Teramukai S, Bessho K, Yokode M, Fukushima M. A pragmatic method for electronic medical record based observational studies: developing an electronic medical records retrieval system for clinical research. *BMJ Open.* 2012; e001622.
54. Yamazaki T, Yamori M, Ishizaki T, Asai K, Goto K, Takahashi K, Nakayama T, Bessho K. Incidence of osteonecrosis of the jaw after tooth extraction in patients treated with bisphosphonates: a cohort study. *Int J Oral Maxillofac Surg.* 2012; 41: 1397–1403.
55. Yamazaki T, Yamori M, Yamamoto K, Saito K, Asai K, Sumi E, Goto K, Takahashi K, Nakayama T, Bessho K. Risk of osteomyelitis of the jaw induced by oral bisphosphonates in patients taking medications for osteoporosis: A hospital–based cohort study in Japan. *BONE.* 2012; 51: 882–887.
56. Yokoyama Y, Sasaki S, Suzukamo Y, Yamazaki S, Takegami M, Kakudate N, Hasegawa T, Haga M, Kawaguchi T, Moriya T, Hotta O, Fukuhara S, for the Dialysis Nutrition Research Group. Interpersonal psychosocial factors associated with underreported dietary energy

intake in hemodialysis patients. *J Ren Nutr.* 2012; 23(1): 37-44.

<2011 年>

57. Akizawa T, Kido R, Fukagawa M, Onishi Y, Yamaguchi T, Hasegawa T, Fukuhara S, Kurokawa K. Decreases in PTH in Japanese Hemodialysis Patients with Secondary Hyperparathyroidism: Associations with Changing Practice Patterns. *Clin J Am Soc Nephrol.* 2011; 6(9): 2280-2288.
58. Chikamatsu K, Takahashi G, Sakakura K, Ferrone S, Masuyama K. Immunoregulatory properties of CD44+ cancer stem-like cells in squamous cell carcinoma of the head and neck. *Head Neck.* 2011; 33(2): 208-15.
59. Fukuhara S, Akizawa T, Fukagawa M, Onishi Y, Yamaguchi T, Hasegawa T, Kurokawa K. Mineral and bone disorders outcomes study for Japanese chronic kidney disease stage 5D patients (MBD-5D): rationale and study design. *Ther Apher Dial.* 2011; 15(2): 169-175.
60. Hasegawa T, Bragg-Gresham JL, Pisoni RL, Robinson BM, Fukuhara S, Akiba T, Saito A, Kurokawa K, Akizawa T. Changes in Anemia Management And Hemoglobin Levels following Revision of a Bundling Policy to Incorporate Recombinant Human Erythropoietin. *Kidney Int.* 2011; 79(3): 340-346.
61. Horike K, Takeda A, Yamaguchi Y, Ogiyama Y, Yamauchi Y, Murata M, Kawaguchi T, Suzuki T, Otsuka Y, Inaguma D, Goto N, Watarai Y, Uchida K, Morozumi K. Is arteriolar vacuolization a predictor of calcineurin inhibitor nephrotoxicity? *Clin Transplant.* 2011; 25 Suppl 23:23-7.
62. Hosokawa S, Okamura J, Takizawa Y, Takahashi G, Hosokawa K, Mineta H. Clinical study of mucosa-associated lymphoid tissue lymphomas of the head and neck. *J Laryngol Otol.* 2011; 26:1-5.
63. Ito-Habe N, Wada H, Matsumoto T, Ohishi K, Toyoda H, Ishikawa E, Nomura S, Komada Y, Ito M, Nobori T, Katayama N. Elevated Von Willebrand factor propeptide for the diagnosis of thrombotic microangiopathy and for predicting a poor outcome. *Int J Hematol.* 2011; 93(1):47-52.
64. Kakudate N, Morita M, Fukuhara S, Sugai M, Nagayama M, Isogai E, Kawanami M, Chiba I. Development of the outcome expectancy scale for self-care among periodontal disease patients. *Journal of Evaluation in Clinical Practice.* 2011; 17(6):1023-9
65. Kameda T, Nishijima K, Unoki N, Sakamoto A, Hayashi H, Oh H, Kita M, Yoshimura N. Geographic pattern of central retinal sensitivity after intravitreal triamcinolone for diabetic macular edema. *Graefes Arch Clin Exp Ophthalmol.* 2011; 249(1):3-9.
66. Kawarazaki H, Shibagaki Y, Fukumoto S, Kido R, Ando K, Nakajima I, Fuchinoue S, Fujita T, Fukagawa M, Teraoka S. Natural history of mineral and bone disorders after living-donor

- kidney transplantation: a one-year prospective observational study. *Ther Apher Dial.* 2011; 15: 481-7.
67. Kawarazaki H, Shibagaki Y, Fukumoto S, Kido R, Nakajima I, Fuchinoue S, Fujita T, Fukagawa M, Teraoka S. The relative role of fibroblast growth factor 23 and parathyroid hormone in predicting future hypophosphatemia and hypercalcemia after living donor kidney transplantation: a 1-year prospective observational study. *Nephrol Dial Transplant.* 2011; 26: 2691-5.
68. Kimura-Ohba S, Sawada A, Shiotani Y, Matsuzawa S, Awaya T, Ikeda H, Okada M, Tomiwa K. Variations of early gross motor milestones and the age of walking in Japanese children. *Pediatr Int.* 2011;53(6):950-5
69. Kirigaya D, Nakayama T, Ishizaki T, Ikeda S, Satoh T. Management and Treatment of Osteoporosis in Patients Receiving Long-term Glucocorticoid Treatment: Current Status of Adherence to Clinical Guidelines and Related Factors. *Intern Med.* 2011; 50(22): 2793-800.
70. Kitamura T, Iwami T, Kawamura T, Nagao K, Tanaka H, Hiraide A; for the Implementation Working Group for All-Japan Utstein Registry of the FDMA. Response to Letters Regarding Article, "Bystander-initiated rescue breathing for out-of-hospital cardiac arrests of non-cardiac origin". *Circulation.* 2011; 123:e250.
71. Kitamura T, Iwami T, Kawamura T, Nagao K, Tanaka H, Berg RA, Hiraide A; for the Implementation Working Group for All-Japan Utstein Registry of the Fire and Disaster Management Agency. Time-dependent effectiveness of chest compression-only and conventional cardiopulmonary resuscitation for out-of-hospital cardiac arrest of cardiac origin. *Resuscitation.* 2011; 82: 3-9.
72. Kobayashi Y, Kudo SE, Miyachi H, Hososya T, Ikehara N, Ohtsuka K, Kashida H, Hamatani S, Hinotsu S, Kawakami K Clinical usefulness of pit patterns for detecting colonic lesions requiring surgical treatment. *Int J Colorectal Dis.* 2011; 26(12): 1531-40
73. Kurita N, Hosokawa N, Nomura S, Maeda Y, Uchihara H, Fukuhara S. A simple four-grade score for aortic arch calcification by posteroanterior chest X-ray is associated with cardiovascular disease in haemodialysis patients. *Nephrol Dial Transplant.* 2011; 26(5):1747-8
74. Kurita N, Mise N, Tanaka S, Tanaka M, Sai K, Nishi T, Miura S, Kigawa I, Miyairi T, Sugimoto T. Arteriovenous access closure in hemodialysis patients with refractory heart failure: a single center experience. *Ther Apher Dial.* 2011; 15(2):195-202.
75. Kurita N, Tanaka M, Tanaka S, Fujii A, Sugimoto T, Yamaguchi Y, Mise N. Glomerular capillary light chain thrombi in multiple myeloma. *Kidney International.* 2011; 80:1378.
76. Matsuo K, Nishimura M, Bottsford-Miller JN, Huang J, Komurov K, Armaiz-Pena GN,

- Shahzad MM, Stone RL, Roh JW, Sanguino AM, Lu C, Im DD, Rosenshien NB, Sakakibara A, Nagano T, Yamasaki M, Enomoto T, Kimura T, Ram PT, Schmeler KM, Gallick GE, Wong KK, Frumovitz M, Sood AK. Targeting SRC in mucinous ovarian carcinoma. *Clin Cancer Res.* 2011; 17(16): 5367-78.
77. Matsuzaki K, Ohsawa I, Nishitani T, Takeda Y, Inoshita H, Ishii M, Takagi M, Horikoshi S, Tomino Y. Marked improvement by high-dose chemotherapy and autologous stem cell transplantation in a case of light chain deposition disease. *J Nephrol.* 2011; 24(2): 246-9.
78. Mori R, Tokumasu H, Pledge D, Kenyon S. High dose versus low dose oxytocin for augmentation of delayed labour. *Cochrane Database Syst Rev.* 2011; 5(10):CD007201.
79. Murata T, Dohi K, Onishi K, Sugiura E, Fujimoto N, Ichikawa K, Ishikawa E, Nakamura M, Nomura S, Takeuchi H, Nobori T, Ito M. Role of haemodialytic therapy on left ventricular mechanical dyssynchrony in patients with end-stage renal disease quantified by speckle-tracking strain imaging. *Nephrol Dial Transplant.* 2011; 26(5):1655-61.
80. Nakao YM, Ueshima K, Teramukai S, Tanaka S, Yasuno S, Fujimoto A, Kawakami K, Nakao K. Considering selection bias when developing a search strategy. *Arch Intern Med.* 2011; 171(5):471-2.
81. Nishiyama C, Iwami T, Nichol G, Kitamura T, Hiraide A, Nishiuchi T, Hayashi Y, Nonogi H, Kawamura T. Association of out-of-hospital cardiac arrest with prior activity and ambient temperature. *Resuscitation.* 2011; 82:1008-1012.
82. Nitta M, Iwami T, Kitamura T, Nadkarni VM, Berg RA, Shimizu N, Ohta K, Nishiuchi T, Hayashi Y, Hiraide A, Tamai H, Kobayashi M, Morita H. Age-specific differences in outcomes after out-of-hospital cardiac arrests. *Pediatrics.* 2011; 128(4): e812-e820.
83. Sakai T, Iwami T, Kitamura T, Nishiyama C, Kawamura T, Kajino K, Tanaka H, Marukawa S, Tasaki O, Shiozaki T, Ogura H, Kuwagata Y, Shimazu T. Letter to the Editor; Global positioning system (GPS) is not an "almighty" but a supportive tool for improving CPR quality. *Resuscitation.* 2011; 82:786-787.
84. Sakai T, Iwami T, Kitamura T, Nishiyama C, Kawamura T, Kajino K, Tanaka H, Marukawa S, Tasaki O, Shiozaki T, Ogura H, Kuwagata Y, Shimazu T. Effectiveness of the new 'Mobile AED Map' to find and retrieve an AED: A randomized controlled trial. *Resuscitation.* 2011; 82: 69-73.
85. Sakushima K, Hayashino Y, Kawaguchi T, Jackson JL, Fukuhara S. Diagnostic accuracy of cerebrospinal fluid lactate for differentiating bacterial meningitis from aseptic meningitis: a meta-analysis. *J Infect.* 2011; 62(4):255-62.

86. Sakushima K, Terae S, Tsuji-Akimoto S, Niino M, Yabe I, Sasaki H. Idiopathic Hypoglossal Nerve Laceration Detected by High-Resolution Three-Dimensional Constructive Interference in Steady State Magnetic Resonance Imaging. *J Neuroimaging*. 2011; 21(2):e177-9
87. Sakushima K, Tsuji-Akimoto S, Niino M, Saitoh S, Yabe I, Sasaki H. Adult Leigh disease without failure to thrive. *Neurologist*. 2011; 17(4):222-7.
88. Sakushima K, Yabe I, Nakano F, Yoshida K, Tajima Y, Houzen H, Maruo Y, Sasaki H. Clinical features of spinal cord sarcoidosis: analysis of 17 neurosarcoidosis patients. *J Neurol*. 2011; 258(12):2163-7.
89. Sakushima K, Yabe I, Shiga T, Yashima-Yamada M, Tsuji-Akimoto S, Terae S, Sasaki H. FDG-PET SUV can distinguish between spinal sarcoidosis and myelopathy with canal stenosis. *J Neurol*. 2011; 258(2):227-30.
90. Sasaki M, Iwami T, Kitamura T, Nomoto S, Nishiyama C, Sakai T, Tanigawa K, Kajino K, Irisawa T, Nishiuchi T, Hayashida S, Hiraide A, Kawamura T. Incidence and outcome of out-of-hospital cardiac arrest with public-access defibrillation - descriptive epidemiological study in a large urban community. *Circulation Journal*. 2011; 75(12): 2821-2826.
91. Sato T, Ichinohe T, Kanda J, Yamashita K, Kondo T, Ishikawa T, Uchiyama T, Takaori-Kondo A. Clinical significance of subcategory and severity of chronic graft-versus-host disease evaluated by National Institutes of Health consensus criteria. *Int J Hematol*. 2011; 93: 532-41
92. Tanaka M, Mise N, Nakajima H, Uchida L, Ishimoto Y, Kotera N, Tanaka S, Kurita N, Sugimoto T. Effects of combination therapy with peritoneal dialysis and hemodialysis on left ventricular hypertrophy. *Peritoneal Dialysis International*. 2011; 31:598-600.
93. Tanigawa K, Iwami T, Nishiyama C, Nonogi H, Kawamura T. Are trained individuals more likely to perform bystander CPR? An observational study. *Resuscitation*. 2011; 82: 523-528.
94. Yamamoto Y, Tanioka M, Hayashino Y, Mishina H, Kato M, Fukuhara S, Utani A, Miyachi Y. Application of a two-question screening instrument to detect depressive symptoms in patients with vitiligo: A pilot study. *J Am Acad Dermatol*. 2011; 64: e69-70.
95. Yamanishi T, Chikamatsu K, Takahashi G, Endo S, Masuyama K. Immune regulation by CD4+CD25+ regulatory T cells in patients with Japanese cedar pollinosis. *Int Arch Allergy Immunol*. 2011; 156(2):187-95.
96. Yazawa M, Kido R, Shibagaki Y, Yasuda T, Nakazawa R, Sasaki H, Sato Y, Chikaraishi T, Kimura K. Kidney function, albuminuria and cardiovascular risk factors in post-operative living kidney donors: a single-center, cross-sectional study. *Clin Exp Nephrol*. 2011; 15:

514-21.

97. Yoshida C, Komono T, Hori M, Kimura T, Fujii M, Okoshi Y, Suzukawa K, Chiba S, Hasegawa Y, Mukai HY, Ito T, Shimizu S, Kamoshita M, Kudo D, Shinagawa A, Chikatsu N, Monma Y, Watanabe N, Kojima H. Adherence to the standard dose of imatinib, rather than dose adjustment based on its plasma concentration, is critical to achieve a deep molecular response in patients with chronic myeloid leukemia. *Int J Hematol*. 2011; 93:618-23.
98. Soga Y, Okabayashi H, Arai Y, Nomoto T, Nakano J, Matsuo T, Hanyu M. Up to 6-year follow-up after pulmonary vein isolation for persistent/permanent atrial fibrillation: importance of sinus node function. *J Thorac Cardiovasc Surg*. 2011 Jun;141(6):1455-60.

<2010 年>

99. Hasegawa T, Koiwa F, Yamazaki S, Yoshimura A. In Reply to 'Predialytic Period and Baseline Peritoneal Membrane Status-Any Connection?' *Perit Peritoneal dialysis international*. 2010; 30(4): 478-80.
100. Inoue H, Minami H, Kobayashi Y, Sato Y, Kaga M, Suzuki M, Satodate H, Odaka N, Itoh H, Kudo S. Peroral endoscopic myotomy (POEM) for esophageal achalasia. *Endoscopy*. 2010, 42(4): 265-71
101. Ito T, Ishikawa E, Matsuda Y, Tanoue A, Fujimoto M, Matsuo H, Murata T, Hiramoto T, Ito M, Nomura S. Elevated serum levels of bromine do not always indicate pseudohyperchloremia. *Clin Exp Nephrol*. 2010; 14(5):431-5.
102. Kajino K, Iwami T, Daya M, Nishiuchi T, Hayashi Y, Kitamura T, Irisawa T, Sakai T, Kuwagata Y, Hiraide A, Kishi M, and Yamayoshi S. Impact of transport to critical care medical centers on outcomes after out-of-hospital cardiac arrest. *Resuscitation*. 2010; 81(5):549-54.
103. Kakudate N, Morita M, Fukuhara S, Sugai M, Nagayama M, Kawanami M, Chiba I. Application of self-efficacy theory in dental clinical practice. *Oral Diseases*. 2010; 16: 747-52.
104. Kakudate N, Morita M, Sugai M, Nagayama M, Fukuhara S, Kawanami M, Chiba I. Comparison of Dental Practice Income and Expenses According to Treatment Types in the Japanese Insurance System. *Japanese Dental Science Review*. 2010; 46: 4-10.
105. Kakudate N, Morita M, Sugai M, Nagayama M, Kawanami M, Sakano Y, Chiba I. Development of the Self-Efficacy Scale for Maternal Oral Care. *Pediatric Dentistry*. 2010; 32: 310-5.
106. Kakudate N, Morita M, Yamazaki S, Fukuhara S, Sugai M, Nagayama M, Kawanami M, Chiba I. Association between self-efficacy and loss to follow-up in long-term periodontal treatment. *Journal of Clinical Periodontology*. 2010; 37: 276-82.

107. Kawaguchi T, Ieiri N, Yamazaki S, Hayashino Y, Gillespie B, Miyazaki M, Taguma Y, Fukuhara S, Hotta O. The clinical effectiveness of steroid pulse therapy combined with tonsillectomy in patients with Immunoglobulin A nephropathy presenting glomerular hematuria and minimal proteinuria. *Nephrology*. 2010; 15: 116-23.
108. Kawaguchi T, Tong L, Robinson B, Sen A, Fukuhara S, Kurokawa K, Canaud B, Lameire N, Port F, Pisoni R. C-Reactive Protein and Mortality in Hemodialysis Patients: The Dialysis Outcomes and Practice Patterns Study (DOPPS). *Nephron Clinical Practice*. 2010; 117: 167-78.
109. Kitamura T, Iwami T, Kawamura T, Nagao K, Tanaka H, and Hiraide A; for the Implementation Working Group for All-Japan Utstein Registry of the Fire and Disaster Management Agency. Nationwide public access defibrillation in Japan. *The New England Journal of Medicine*. 2010; 362(11): 994-1004.
110. Kitamura T, Iwami T, Kawamura T, Tanaka H, Nagao K, and Hiraide A; for the Implementation Working Group for All-Japan Utstein Registry of the Fire and Disaster Management Agency. Bystander-initiated rescue breathing for out-of-hospital cardiac arrests of non-cardiac origin. *Circulation*. 2010; 122:293-9.
111. Kitamura T, Iwami T, Kawamura T, Tanaka H, Nagao K, Nadkarni VM, Berg RA, and Hiraide A, for the Implementation Working Group for All-Japan Utstein Registry of FDMA. Conventional and chest-compression-only cardiopulmonary resuscitation bystanders for children who have out-of-hospital cardiac arrests: a prospective, nationwide, population-based cohort study. *The Lancet*. 2010; 375(9723): 1347-54.
112. Kitamura T, Iwami T, Nichol G, Nishiuchi T, Hayashi Y, Nishiyama C, Sakai T, Kajino K, Hiraide A, Ikeuchi H, Nonogi H, Kawamura T. Reduction in incidence and fatality of out-of-hospital cardiac arrest in females of the reproductive age. *European Heart Journal*. 2010; 31(11):1365-72.
113. Kuroda H, Kasai K, Kakisaka K, Yasumi Y, Kataoka K, Ushio A, Miyamoto Y, Sawara K, Oikawa K, Kondo K, Miura Y, Endo R, Takikawa Y, Suzuki K. Changes in liver function parameters after percutaneous radiofrequency ablation therapy in patients with hepatocellular carcinoma. *Hepatol Res*. 2010; 40: 550-4.
114. Kuroda H, Ushio A, Miyamoto Y, Sawara K, Oikawa K, Kasai K, Endo R, Takikawa Y, Kato A, Suzuki K. Effects of branched-chain amino acid-enriched nutrient for patients with hepatocellular carcinoma following radiofrequency ablation: A one-year prospective trial. *J Gastroenterol Hepatol*. 2010; 25:1550-5.
115. Nakano N, Hangai M, Nakanishi H, Inoue R, Unoki N, Hirose F, Ojima T, Yoshimura N. Early trabeculectomy bleb walls on anterior-segment optical coherence tomography. *Graefes Arch Clin Exp Ophthalmol*. 2010; 248(8):1173-82.

116. Nishi H, Shibagaki Y, Hirano K, Akahane M, Kido R, Nangaku M, Kaname S, Sasahira N, Isayama H, Tada M, Tsukamoto R, Ohtomo K, Omata M, Fujita T. Laboratory and imaging features of kidney involvement in autoimmune pancreatitis: incidence, correlation, and steroid therapy response. *Clin Nephrol.* 2010; 73: 253–9.
117. Nishikawa H, Imanaka Y, Sekimoto M, Hayashida K, Ikai H. Verification bias in the assessment of the utility of MRI for the diagnosis of cruciate ligament tears. *American Journal of Roentgenology.* 2010; 195(5):W357–64.
118. Nishiyama C, Iwami T, Kawamura T, Ando M, Yonemoto N, Hiraide A, Nonogi H. Quality of chest compressions during continuous CPR; comparison between chest compression-only CPR and conventional CPR. *Resuscitation.* 2010; 81: 1152–1155.
119. Sakai T, Iwami T, Tasaki O, Kawamura T, Hayashi Y, Rinka H, Ohishi Y, Mohri T, Kishimoto M, Nishiuchi T, Kajino K, Matsumoto H, Uejima T, Nitta M, Shiokawa C, Ikeuchi H, Hiraide A, Sugimoto H, Kuwagata Y. Incidence and outcomes of out-of-hospital cardiac arrest with shock-resistant ventricular fibrillation: Data from a large population-based cohort. *Resuscitation.* 2010; 81(8):956–61.
120. Sawada A, Ikeda H, Kimura-Ohba S, Matsuzawa S, Awaya T, Shiotani Y, Okada M, Tomiwa K. Head growth evaluation in early childhood, from the Japan Children's Study. *Pediatr Int.* 2010; 52(3):343–6.
121. Taniguchi S, Hashiguchi S, Ono T, Takenouchi K, Nakayama K, Kawano T, Kato K, Matsushita R, Nagatomo M, Nakamura S, Nakashima T, Maruyama I. Association between reduced ADAMTS13 and diabetic nephropathy. *Thrombosis Research.* 2010; 125: e310–6
122. Unoki N, Murakami T, Nishijima K, Ogino K, van Rooijen N, Yoshimura N. SDF-1/CXCR4 contributes to the activation of tip cells and microglia in retinal angiogenesis. *Invest Ophthalmol Vis Sci.* 2010; 51(7):3362–71.
123. Unoki N, Murakami T, Ogino K, Nukada M, Yoshimura N. Time-lapse imaging of retinal angiogenesis reveals decreased development and progression of neovascular sprouting by anecortave desacetate. *Invest Ophthalmol Vis Sci.* 2010; 51(5):2347–55.
124. Yamamoto Y, Hayashino Y, Higashi T, Matsui M, Yamazaki S, Takegami M, Miyachi Y, and Fukuhara S. Keeping vulnerable elderly patients free from pressure ulcer is associated with high caregiver burden in informal caregivers. *J Eval Clin Pract.* 2010; 16(3):585–9.

<2009 年>

125. Brazier J, Fukuhara S, Roberts J, Kharroubi S, Yamamoto Y, Ikeda S, Doherty J, Kurokawa K. Estimating a preference-based index from the Japanese SF-36. *J Clin Epidemiol.* 2009; 62(12):1323–31.

126. Chikamatsu K, Sakakura K, Takahashi G, Okamoto A, Furuya N, Whiteside TL, DeLeo AB, Masuyama K. CD4+ T cell responses to HLA-DP5-restricted wild-type sequence p53 peptides in patients with head and neck cancer. *Cancer Immunol Immunother.* 2009; 58(9):1441-8.
127. Hamasu S, Morimoto T, Kuramoto N, Horiguchi M, Iwami T, Nishiyama C, Takada K, Kubota Y, Seki S, Maeda Y, Sakai Y, Hiraide A. Effects of BLS training on factors associated with attitude toward CPR in college students. *Resuscitation.* 2009; 80: 359-64.
128. Hasegawa T, Bragg-Gresham JL, Yamazaki S, Fukuhara S, Akizawa T, Kleophas W, Greenwood R, Pisoni RL. Greater First-Year Survival on Hemodialysis in Facilities in Which Patients Are Provided Earlier and More Frequent Pre-Nephrology Visit. *Clin J Am Soc Nephrol.* 2009; 4(3): 595-602.
129. Hasegawa T, Yoshimura A, Hirose M, Komukai D, Tayama H, Watanabe S, Koiwa F, Yamazaki S, Ideura T. A Strict Low Protein Diet during the Predialysis Period Suppresses Peritoneal Permeability at the Induction of Peritoneal Dialysis. *Perit Dial Int.* 2009; 29(3): 319-24.
130. Ishikawa E, Nomura S, Hamaguchi T, Obe T, Inoue-Kiyohara M, Oosugi K, Katayama K, Ito M. Ultrasonography as a predictor of overt bleeding after renal biopsy. *Clin Exp Nephrol.* 2009; 13(4):325-31.
131. Ishikawa E, Nomura S, Obe T, Katayama K, Oosugi K, Murata T, Tanoue A, Fujimoto M, Matsuo H, Ito M. How long is strict bed rest necessary after renal biopsy? *Clin Exp Nephrol.* 2009; 13(6):594-7.
132. Iwami T, Nichol G, Hiraide A, Hayashi Y, Nishiuchi T, Kajino K, Morita H, Yukioka H, Ikeuchi H, Sugimoto H, Nonogi H, Kawamura T. Continuous Improvements in "Chain of Survival" Increased Survival After Out-of-Hospital Cardiac Arrests. A Large-Scale Population-Based Study. *Circulation.* 2009; 119: 728-34.
133. Kajino K, Iwami T, Berg RA, Hiraide A, Hayashi Y, Yukioka H, Tanaka H, Shimazu T, Sugimoto H. Comparison of neurological outcomes following witnessed out-of-hospital ventricular fibrillation defibrillated with either biphasic or monophasic automated external defibrillators. *Emerg Med J.* 2009; 26: 492-6.
134. Kutsuki A, Kuroki M, Egami S, Ogura T, Itakura S, Matsuzawa S, et al.; Japan Children's Study Group. Individual differences in changes in infants' interest in social signals in relation to developmental index. *Infant Behav Dev.* 2009; 32(4):381-91.
135. Kutsuki A, Ogura T, Egami S, Itakura S, Matsuzawa S, et al.; Japan Children's Study Group. Development of infants' request expressions from 11 to 15 months. *Psychol Rep.* 2009; 105(3 Pt 1):865-78.

136. Masuyama K, Chikamatsu K, Ikagawa S, Matsuoka T, Takahashi G, Yamamoto T, Endo S. Analysis of helper T cell responses to Cry j 1-derived peptides in patients with nasal allergy: candidate for peptide-based immunotherapy of Japanese cedar pollinosis. *Allergol Int.* 2009; 58(1):63-70.
137. Nakai S, Masakane I, Shigematsu T, Hamano T, Yamagata K, Watanabe Y, Itami N, Ogata S, Kimata N, Shinoda T, Syouji T, Suzuki K, Taniguchi M, Tsuchida K, Nakamoto H, Nishi S, Nishi H, Hashimoto S, Hasegawa T, Hanafusa N, Fujii N, Marubayashi S, Morita O, Wakai K, Wada A, Iseki K, Tsubakihara Y. An Overview of Regular Dialysis Treatment in Japan (As of 31 December 2007). *Ther Apher Dial.* 2009; 13(6): 457-504.
138. Nakanishi H, Hangai M, Unoki N, Sakamoto A, Tsujikawa A, Kita M, Yoshimura N. Spectral-domain optical coherence tomography imaging of the detached macula in rhegmatogenous retinal detachment. *Retina.* 2009; 29(2):232-42.
139. Nishikawa H, Imanaka Y, Sekimoto M, Hayashida K, Ikai H. Influence of verification bias on the assessment of MRI in the diagnosis of meniscal tear. *American Journal of Roentgenology.* 2009; 193(6):1596-602.
140. Nishiyama C, Iwami T, Kawamura T, Ando M, Kajino K, Yonemoto N, Fukuda R, Yuasa H, Yokoyama H, Nonogi H. Effectiveness of simplified chest compression-only CPR training program with or without preparatory self-learning video: A randomized controlled trial. *Resuscitation.* 2009; 80, 1164-1168.
141. Nojo T, Imanaka Y, Ishizaki T, Sekimoto M, Yoshino M, Kurosawa T, Takao T, Ohtomo K. Lung cancer incidence in middle-aged men estimated by low-dose computed tomography screening. *Lung Cancer.* 2009; 65:56-61.
142. Okamoto A, Chikamatsu K, Sakakura K, Hatsushika K, Takahashi G, Masuyama K. Expansion and characterization of cancer stem-like cells in squamous cell carcinoma of the head and neck. *Oral Oncol.* 2009; 45(7):633-9.
143. Shimada T, Noguchi Y, Jackson JL, Miyashita J, Hayashino Y, Kamiya T, Yamazaki S, Matsumura T, Fukuhara S. Systematic review and metaanalysis: urinary antigen tests for Legionellosis. *Chest.* 2009; 136(6):1576-85
144. Shirai T, Imanaka Y, Sekimoto M, Ishizaki T, QIP Ovarian Cancer Expert Group. Primary chemotherapy patterns for ovarian cancer treatment in Japan. *The Journal of Obstetrics and Gynaecology Research.* 2009; 35(5):926-34.
145. Takikawa Y, Endo R, Suzuki K, Tsubouchi H; Fulminant Hepatitis Study Group of Japan. Early prediction of short-term development of hepatic encephalopathy inpatients with acute liver disease unrelated to paracetamol. A prospective study in Japan. *J.Hepatol.* 2009; 51: 1021-9.

146. Unoki N, Nishijima K, Kita M, Oh H, Sakamoto A, Kameda T, Hayashi H, Yoshimura N. Lamellar macular hole formation in patients with diabetic cystoid macular edema. *Retina*. 2009; 29(8):1128-33.
147. Yamamoto Y, Hayashino Y, Akiba T, Akizawa T, Asano Y, Saito A, Kurokawa K, Fukuhara S. Depressive symptoms predict the subsequent risk of bodily pain in dialysis patients: Japan Dialysis Outcomes and Practice Patterns Study. *Pain Med*. 2009; 10:883-9.
148. Yamamoto Y, Hayashino Y, Yamazaki S, Akiba T, Akizawa T, Asano Y, Saito A, Kurokawa K, Miyachi Y, Fukuhara S. Depressive symptoms predict the future risk of severe pruritus in haemodialysis patients: Japan Dialysis Outcomes and Practice Patterns Study. *Br J Dermatol*. 2009; 161:384-9.
149. Yamamoto Y, Hayashino Y, Yamazaki S, Takegami M, Fukuhara S. Violent patient behavior is associated with bodily pain and a high burden on informal caregivers. *J Gen Intern Med*. 2009; 24:1085-8.
150. Yamamoto Y, Kadota M, Nishimura Y. A case of S-100-positive juvenile xanthogranuloma: a longitudinal observation. *Pediatric Dermatol*. 2009; 26(4):475-6.
151. Yamamoto Y, Yamazaki S, Hayashino Y, Takahashi O, Tokuda Y, Shimbo T, Fukui T, Hinohara S, Miyachi Y, Fukuhara S. Association between frequency of pruritic symptoms and perceived psychological stress: a Japanese population-based study. *Arch Dermatol*. 2009; 145:1384-8.
152. Yokoyama Y, Suzukamo Y, Hotta O, Yamazaki S, Kawaguchi T, Hasegawa T, Chiba S, Moriya T, Abe E, Sasaki S, Haga M, Fukuhara S, for the Dialysis Nutrition Research Group. Dialysis Staff Encouragement and fluid control adherence in patient on hemodialysis. *Nephrol Nurs J*. 2009; 36(3):289-97.
153. Yokoyama Y, Yamazaki S, Hasegawa T, Wakita T, Akiba T, Akizawa T, Asano Y, Saito A, Kurokawa K, Fukuhara S. Pre-dialysis Early Referral to a Nephrologist is Associated with Improved Mental Health among Hemodialysis Patients: A Dialysis Outcomes and Practice Patterns Study. *Nephron Clin Pract*. 2009; 113(3):c191-c197.

<2008 年>

154. Akizawa T, Pisoni RL, Akiba T, Saito A, Fukuhara S, Asano Y, Hasegawa T, Port FK, Kurokawa K. Japanese Hemodialysis Anemia Management Practices and Outcomes (1999-2006): Results from the DOPPS. *Nephrol Dial Transplant*. 2008; 23(11): 3643-53.
155. Chikamatsu K, Sakakura K, Matsuoka T, Endo S, Takahashi G, Matsuzaki Z, Masuyama K. Analysis of T-helper responses and FOXP3 gene expression in patients with Japanese cedar pollinosis. *Am J Rhinol*. 2008; 22(6):582-8.

156. Ethier J, Mendelssohn D, Elder S, Hasegawa T, Akizawa T, Akiba T, Canaud B, Pisoni RL. Vascular Access Use and Outcomes: An International Perspective From the Dialysis and Outcomes Practice Patterns Study. *Nephrol Dial Transplant.*, 2008; 23(10): 3219–26.
157. Hasegawa T, Elder SJ, Bragg-Gresham JL, Pisoni RL, Yamazaki S, Akizawa T, Jadoul M, Hugh RC, Port FK, Fukuhara S. Consistent Aspirin Use Associated with Improved Arteriovenous Fistula Survival among Incident Hemodialysis Patients in the Dialysis Outcomes and Practice Patterns Study (DOPPS). *Clinical Journal of the American Society of Nephrology.* 2008; 3(5): 1373–8.
158. Kajino K, Iwami T, Daya M, Nishiuchi T, Hayashi Y, Ikeuchi H, Tanaka H, Shimazu T, Sugimoto H. Subsequent ventricular fibrillation and survival in out-of-hospital cardiac arrests presenting with PEA or asystole. *Resuscitation.* 2008; 79: 34–40.
159. Koiwa F, Hasegawa T, Tanaka R, Kakuta T. Indication and efficacy of PEIT in the management of secondary hyperparathyroidism. *NDT Plus.* 2008; 1 (Supplement 3): iii14–iii17
160. Miura Y, Suwabe A, Endo R, et al. Serum trace elements as nutritional markers in a case with acute aortic dissection. *Int J PIXE.* 2008; 18;61–7.
161. Miura Y, Suwabe A, Endo R, Tomisawa Y, Ikeda K, Sera K, Yokoyama S. Data mining analysis of serum trace elements in hospitalized patients supported by nutrition support team. *Int J PIXE.* 2008;18:157–67.
162. Nishiuchi T, Hayashino Y, Fukuhara S, Iwami T, Hayashi Y, Hirade A, Ikeuchi H, Matsuoka T. Survival rate and factors associated with one-month survival of witnessed out-of-hospital cardiac arrest of cardiac origin with ventricular fibrillation and pulse less ventricular tachycardia. The Utstein Osaka Project. *Resuscitation* 2008; 78(3):307–13.
163. Nishiyama C, Iwami T, Kawamura T, Ando M, Yonemoto N, Hiraide A, Nonogi H. Effectiveness of simplified chest compression-only CPR training for the general public: a randomized controlled trial. *Resuscitation.* 2008; 79: 90–6.
164. Sugioka T, Hayashino Y, Konno S, Kikuchi S, Fukuhara S. Predictive value of self-reported patient information for the identification of lumbar spinal stenosis. *Family Practice.* 2008; 25(4):237–44.
165. Takahashi G, Matsuzaki Z, Nakayama T, Masuyama K. Patterns of Drug Prescription for Japanese Cedar Pollinosis Using a Clinical Vignette Questionnaire. *Allergol Int.* 2008; 57(4):405–11.
166. Takao H, Nojo T, Ohtomo K. Treatment of Ruptured Intracranial Aneurysms: A Decision Analysis. *British Journal of radiology.* 2008; 81(964):299–303.
167. Sekimoto M, Kakutani C, Inoue I, Ishizaki T, Hayashida K, Imanaka Y. Management patterns and healthcare costs for hospitalized patients with cerebral infarction. *Health*

Policy. 2008; 88(1):100–9.

<2007 年>

168. Iwami T, Kawamura T, Hiraide A, Berg RA, Hayashi Y, Nishiuchi T, Kajino K, Yonemoto N, Yukioka H, Sugimoto H, Kakuchi H, Sase K, Yokoyama H, Nonogi H. Effectiveness of Bystander-Initiated Cardiac-Only Resuscitation for Patients with Out-of-Hospital Cardiac Arrest. *Circulation*. 2007; 116: 2900–7.
169. Matsuda F, Ishimura S, Wagatsuma Y, Higashi T, Hayashi T, Faruque AS, Sack DA, Nishibuchi M. Prediction of epidemic cholera due to *Vibrio cholerae* O1 in children younger than 10 years using climate data in Bangladesh. *Epidemiology and Infection*. 2007; 8:1–7.
170. Miyazaki K, Sato J, Mukohara K, Kitamura K, Saito S, Ban N. Attitudes of Japanese primary care physicians toward publicly endorsed periodic health examination. *Asian Pacific J Cancer Prev*. 2007; 8:24–6.
171. Nojo T, Takao H, Kohyama J. Simultaneous Diffusion-Weighted Magnetic Resonance Images and Brain Blood Perfusion Scintigraphy for a Transient Lesion in the Splenium of the Corpus Callosum. *Brain and Development*. 2007; 30(3):200–2.
172. Nojo T, Takao H, Makita K, Miyata R, Kohyama J. Diffusion-weighted magnetic resonance images and blood perfusion of hemiconvulsion-hemiplegia-epilepsy syndrome. *Journal of Pediatric Neurology*. 2007; 5(3):243–5.
173. Takao H, Nojo T. Treatment of Unruptured Intracranial Aneurysms: A Decision and Cost-effectiveness Analysis. *Radiology*. 2007; 244(3):755–66.
174. Unoki N, Nishijima K, Sakamoto A, Kita M, Watanabe D, Hangai M, Kimura T, Kawagoe N, Ohta M, Yoshimura N. Retinal sensitivity loss and structural disturbance in areas of capillary nonperfusion of eyes with diabetic retinopathy. *Am J Ophthalmol*. 2007; 144(5):755–760.

<2006 年>

175. Iwami T, Hiraide A, Nakanishi N, Hayashi Y, Nishiuchi T, Uejima T, Morita H, Shigemoto T, Ikeuchi H, Matsusaka M, Shinya H, Yukioka H, Sugimoto H. Outcome and characteristics of out-of-hospital cardiac arrest according to location of arrest: A report from a large-scale, population-based study in Osaka, Japan. *Resuscitation*. 2006; 69(2):221–8.

<2005 年>

176. Kitamura K, Feters MD, Ban N. Preconception care by family physicians and general practitioners in Japan. *BMC Fam Pract*. 2005; 6:31.

177. Miyazaki K, Mukohara K, Kitamura K, Saito S. Japanese physicians' attitudes towards publicly endorsed periodic examination. *Gen Med.* 2005; 6; 29-32.
178. Murai M, Kitamura K, Fettes MD. Lessons learned in developing family medicine residency training programs in Japan. *BMC Med Edu.* 2005; 5: 33.

国際学会発表

<2013 年>

1. Fukuma S, Akizawa T, Akiba T, Saito A, Kurokawa K, Fukuhara S. A PREDICTION RULE FOR LOSS OF PHYSICAL FUNCTION IN HEMODIALYSIS PATIENTS: A COHORT STUDY. ERA-EDTA 2013 Annual Congress (5/18-21, Istanbul)

<2012 年>

2. Asai K, Yamori M, Yamazaki T, Hamada A, Taguchi T, Mori M, Takahashi K, Sekine A, Kosugi S, Matsuda F, Nakayama T, Jayattisa Renuka, Yamori Y and Bessho K for the Nagahama Cohort Study Group. The relationship between Oral Health and Risk Factors for Hypertension; A Comparison with Australian Aborigines, Sri-Lankan, and Japanese population. The 24th Scientific Meeting of the International Society of Hypertension, Sydney, Australia 2012, Oct.1-5.
3. Katsura M, Yamazaki S, Fukuma S, Matsushima K, Yamashiro T, Fukuhara S. Comparison between laparotomy first versus angiographic embolization first in patients with pelvic fracture and hemoperitoneum. 71st Annual Meeting of American Association for the Surgery of Trauma and Clinical Congress of Acute Care Surgery, Kauai, Hawaii, September 12-15th, 2012.
4. Matsuzaki M, Suzuki Y, Kawamura T, Suzuki H, Sakamoto N, Yanagawa N, Horikoshi S, Matsuo S, Tomino Y. Nation-wide consciousness investigation about the clinical remission of IgA nephropathy in Japan. *J Am Soc Nephrol* 23:2012 1054A (PUB724)
5. Nakao YM, Yasuno S, Miyawaki T, Nakao K, Tanaka S, Fujimoto A, Kasahara M, Ueshima K, Nakao K. Predictive impact of visceral adiposity on new-onset of metabolic syndrome components in healthy Japanese population: Metabolic syndrome and visceral obesity (MERLOT study). EuroPrevent 2012 (2012 年 5 月 ダブリン)
6. Nobuo Tomizawa, Kodai Yamamoto, Takeshi Nojo, Masaaki Akahane, Rumiko Torigoe, Kuni Ohtomo. The feasibility of halfscan reconstruction in patients with high heart rates in coronary CT angiography using 320-row CT. The 6th Congress Asian Society of Cardiovascular imaging, 7-9 June 2012, Bangkok, Thailand

7. Oku K, Sakuma R, Nishida T, Morioka C. Exclusive breastfeeding of extremely low-birth-weight infants after discharge: A feeding outcome and an investigation of growth and development. 17th Annual International Meeting of the Academy of Breastfeeding Medicine, 2012.
8. Shinji Y, Ueshima K, Oba K, Tanaka S, Kasahara M, Fujimoto M, Nakao YM, Miyawaki T, Masuda I, Nakao K. Predictors of New-Onset of Proteinuria in Japanese Population: MIYAKO (Multicenter Investigation for Yearly Medical Check Assessment in Kyoto) Surveillance. 2012年アメリカ腎臓学会議(2012年11月サンディエゴ)
9. Ueshima K, Nakao YM, Yasuno S, Sasayama S. Effects of Nocturnal Oxygen Therapy on Cardiac Arrhythmias in Patients with Chronic Heart Failure and Central Sleep Apnea: CHF-HOT study. ヨーロッパ心臓病学会 2012 (2012年8月ミュンヘン)
10. Ushizawa H, Isotani E, Takahashi H, Sera T, Otomo Y: Randomized Controlled Trial of Novel Human Soluble Recombinant Thrombomodulin for Sepsis with DIC Patients in Japan. 25th Annual Congress, European Society of Intensive Care Medicine. October 17th. Lisbon, Portugal.
11. Ushizawa H, Isotani E, Takahashi H, Sera T, Otomo Y: Randomized Controlled Trial of Novel Human Soluble Recombinant Thrombomodulin for Sepsis with DIC Patients in Japan. 41th Society of Critical Care Medicine, Annual Congress, February 6th. Houston, United States.
12. Ushizawa H, Yuichiro Y, Nakashima K, Oishi K. Nosocomial Infection Outbreak of Multidrug-Resistant Acinetobacter baumannii - Northern Kanto area, Japan, 2012. 7th Global Scientific Conference, Training Programs in Epidemiology and Public Health Interventions Network. November 12th. Amman, Jordan.
13. Yasuno S, Ueshima K, Tanaka S, Fujimoto A, Kasahara M, Nakao YM, Ogihara T, Fukiyama K, Saruta T, Nakao K: Title: Type 2 diabetes mellitus and residual cardiovascular risk in high-risk hypertensive patients: a subanalysis of the CASE-J Extension. 第24回国際高血圧学会(2012年9月シドニー)
14. Yasuno S, Ueshima K, Tanaka S, Fujimoto A, Kasahara M, Nakao YM, Ogihara T, Fukiyama K, Saruta T, Nakao K. Impact of type 2 diabetes and coronary heart disease on cardiovascular risk in high-risk hypertensive patients: a subanalysis of the CASE-J Ex. ヨーロッパ心臓病学会 2012 (2012年8月ミュンヘン)

<2011年>

15. Fukuma S, Akizawa T, Saito A, Akiba T, Kuorkawa K, Fukuhara S. Interaction on Mortality between Phosphorus and Albumin level: The Dialysis Outcomes and Practice Pattern Study in Japan. NDT Plus. 2011; 4(Suppl.2)

16. H.Ushizawa, E. Isotani, H. Takahashi, T. Sera, Y. Otomo: The Role of novel recombinant human soluble Thrombomodulin for Sepsis and Disseminated Intravascular Coagulation Patients. European Society of Intensive Care Medicine. Berlin, Germany, 2011.10.3.
17. H.Ushizawa, E. Isotani, M. Kobayashi, H. Takahashi, M. Wakabayashi, J. Aiboshi, Y. Otomo : Experience of using recombinant human soluble thrombomodulin (rTM) for treating sepsis-induced DIC patients and Randomized controlled trial of rTM for sepsis-induced DIC patients. Society of Critical Care Medicine, SanDiego, 2011.1.16.
18. Hasegawa T, Zhang J, Pisoni R, Akizawa T, Robinson B. 4Four-year Follow-up of Impact of the Recombinant Human Erythropoietin (rHuEPO) Bundling Policy in Japan upon Japanese Anemia Management Practices and Outcomes: Results from the Japan Dialysis Outcomes and Practice Patterns Study (DOPPS). J Am Soc Nephrol. 2011; 22: 480A (FR-PO1582)
19. Iwami T, Kitamura T, Nishiyama C, Ohta K, Kaneko H, Kanna T, Takahashi H, Nachi S, Matsumi H, Yonezawa T, Tanaka H; School BLS Committee for Japanese Society for Emergency Medicine. Systematic CPR Training in Elementary Schools and Students' Attitude toward CPR and AED Use. Presented at the 2011 American Heart Association Scientific Session, Resuscitation Science Symposium. Orland, Fla, Nov 13, 2011.
20. Iwami T. Increasing survival in Japan through "chain of survival" improvements. The 6th Asian Conference for Emergency Medicine 2011 (ACEM 2011), Thailand, Bangkok, July 5, 2011.
21. Kajino K, Iwami T, Daya M, Kitamura T, Nishiuchi T, Hayashi Y, Sakai T, Shimazu T, Hiraide A, Kishi M, Yamayoshi S. Impact of the Number of On-Scene Emergency Lifesaving Technicians and Out-of-Hospital Cardiac Arrests. Presented at the 2011 American Heart Association Scientific Session, Resuscitation Science Symposium. Orland, Fla, Nov 13, 2011.
22. Kobayashi Y, Kudo S, Wakamura K, Mori Y, Miyachi H, Ikehara N, Yamamura F, Hamatani S, Ohtsuka K. Pathodlogical Features of Laterally Spreading Tumors Diagnosed by Endoscytscopy Digestive Disease Week 2011 ,Chicago, Illinois, May 7-10
23. Kurita N, Hosokawa N, Nomura S, Maeda Y, Uchihara H, Fukuhara S. A simple four-grade score for aortic arch calcification by posteroanterior chest X-ray is associated with cardiovascular disease in haemodialysis patients. XLVIII Congress of the ERA-EDTA, Jun 23-26, 2011, Prague, Czech Republic.
24. Matsuzaki K, Suzuki Y, Nakata J, Sakamoto N, Horikoshi S, Kawamura T, Matsuo S, Tomino Y. A nation wide questionnaire on treatments for IgA nephropathy in Japan. J Am Soc Nephrol 22:2011 556A (FR-PO1913)
25. Nakamura F, Higashi T, Saruki N, Hosokawa T, Takegami M, Nakayama T, Fukuhara S, Sobue T "Quality of Media Report on Public Reporting Program of Cancer Survival in

Japan" Academy Health annual research meeting June 12–14. Seattle, 2011

26. Nakamura F, Higashi T, Sobue T, Okamura T, National Hospital Organization Quality Indicator Study Group "Informed Consent of Oral Chemotherapy is Insufficient in Practice" Academy Health annual research meeting June 12–14. Seattle, 2011
27. Nakamura F, Higashi T, Sugihara K, Ishiguro M, Sobue T. Prioritizing quality indicators for colorectal cancer care. International Society for Quality in Healthcare Conference Sep 14–17. Hong Kong, 2011
28. Nishiuchi T, Hayashino Y, Fukuhara S, Iwami T, Kitamura T, Hayashi Y, Kajino K, Mizobata Y. Incidence, Outcome and Characteristics of Cardiac Arrest at Schools. Presented at the 2011 American Heart Association Scientific Session, Resuscitation Science Symposium. Orland, Fla, Nov 12, 2011.
29. Nishiyama C, Iwami T, Kitamura T, Hayashida S, Matsuzono T, Kawamura T. Acute Coronary Syndrome–Related Symptoms on the Scene and Actual Diagnoses. Presented at the 2011 American Heart Association Scientific Session, Resuscitation Science Symposium. Orland, Fla, Nov 12, 2011.
30. Nobuo Tomizawa, Shuhei Komatsu, Takeshi Nojo, Rumiko Torigoe, Masaaki Akahane, Kuni Ohtomo. Effects of the pulmonary artery attenuation and heart rate on the attenuation of the ascending aorta in cardiac CT angiography. The 5th Congress Asian Society of Cardiovascular imaging, 17–19 June 2011, Hong Kong
31. Rayner HC, Fuller DS, Gillespie BW, Hasegawa T, Morgenstern H, Robinson BM, Saran R, Tentori F, Pisoni RL. Associations of Recovery Time after Hemodialysis with Patient Quality of Life and Treatment Variables in the Dialysis Outcomes and Practice Patterns Study (DOPPS). NDT Plus. 2011; ?
32. Sakai T, Iwami T, Kitamura T, Hayashi Y, Nishiuchi T, Kajino K, Nishiyama C, Hiraide A, Tasaki O, Kuwagata Y, Shimazu T, Kawamura T, Matsushima A, Ueyama M. Dispatcher Instruction in Chest Compression–Only CPR Increases Implementation of Bystander CPR: The Utstein Osaka Project. Presented at the 2011 American Heart Association Scientific Session, Resuscitation Science Symposium. Orland, Fla, Nov 12, 2011.
33. Sakamoto A, Matsumoto N, Arimura Y, Yanagi S, Sano A, Tokojima M and Nakazato M. Clinical significance of ghrelin in patients who are undergoing chemotherapy for lung cancer. CHEST annual meeting, 2011. 10, Honolulu, Hawaii.
34. Suzuki Y, Matsuzaki K, Suzuki H, Okazaki K, Yanagawa H, Ieiri N, Sato M, Sato T, Taguma Y, Novak J, Hotta O, Tomino Y. Novel Noninvasive Biomarkers for Disease Activity of IgA Nephropathy (IgAN). J Am Soc Nephrol 22:2011 34A (TH–OR138)
35. Takahashi G. Mineta H. Masuyama K. A comparison of regular and as-needed use of

Mometasone furoate hydrate nasal spray in the treatment of Japanese cedar pollinosis. 14th International Rhinology Society / 30th International Symposium on Infection and Allergy of the Nose. 2011. 9, Tokyo.

36. Takeuchi J, Goto M, Kawamura T, Hiraide A. Factors associated with high levels of measles, rubella, mumps and varicella antibodies among Japanese university students. 5th Vaccine & ISV Annual Global Congress. Seattle, USA, Oct 2-4, 2011.
37. Tominari S, Yamanaka K, Shirasaka T, Nakayama T. Factors Associated with Loss to Follow-Up among HIV-Infected Patients in Japan: a Nested Case-Control Study. The 10th International Congress on AIDS in Asia and the Pacific. Busan, Korea. 2011.8
38. Tsugihashi Y, Kakudate N, Yokoyama Y, Yamamoto Y, Mishina H, Fukumori N, Nakamura F, Takegami M, Ohno S, Wakita T, Watanabe K, Yamaguchi T, Fukuhara S. A novel internet-based blended learning program providing core competency in clinical research. An International Association For Medical Education, Annual Conferences 2011. 8, Vienna.
39. Tsujimura Y, Nakayama T, Ishizaki T, Takahashi Y, Miyazaki K, Satoh T, Ikeda S, Kimura S. The characteristics of people who had been screened to be hyperglycemic but did not visit clinics: retrospective cohort study. International Epidemiological Association World Congress of Epidemiology 2011, Edinburgh, August 9, 2011.
40. Yanagawa H, Suzuki H, Suzuki Y, Matsuzaki K, Horikoshi S, Novak J, Tomino Y. Novel Diagnostic Approach for IgA Nephropathy. J Am Soc Nephrol 22:2011 554A (FR-PO1904)

<2010年>

41. Asai K, Yamori M, Yamazaki T, Hamada A, Taguchi T, Mori M, Marjorie Throrpe, Geoff Clark, Violet Clark, Yamori Y, Bessho K. Association between Oral Health and Risk Factors of Hypertension among Australian Aborigines Revealed by a Pilot Epidemiological Study. The International symposium of Kyoto University Global COE (2010年11月淡路)
42. Hasegawa T, Nakai S, Masakane I, Iseki K, Tsubakihara Y. Greater Dialysate Endotoxin Level Associated with Increased Mortality of Hemodialysis Patients in Japan. J Am Soc Nephrol. 2010; 21: 7A (TH-FC032)
43. Higashi T, Nakamura F, Mukai H, Sobue T, Mekata E, Ohtani M, Higashide S, Shinkai T, Okamura T, National Hospital Organization Quality Indicator Study Group "Assessing the quality of breast cancer care in cancer center hospitals in Japan." ASCO annual meeting June 1-5. Chicago, 2010
44. Hutchinson C, Thumma J, Tentori F, Gillespie B, Morgenstern H, Hasegawa T, Rayner H, Pisoni R, Robinson B. Multiple Myeloma and Outcomes among Participants in the Dialysis Outcomes and Practice Patterns Study (DOPPS). NDT Plus. 2010; 3(Suppl.3): iii99
45. Iwami T, Kitamura T, Mitamura H, Nagao K, Takayama M, Seino Y, Tanaka H, Nonogi H,

- Yonemoto N, Kimura T, Kawamura T. Chest-Compression-Only and conventional Cardiopulmonary Resuscitation by Bystanders for Out-of-Hospital Cardiac Arrests With Public Access Defibrillation: A Prospective, Nationwide, Population-Based Cohort Study. Resuscitation Science Symposium 2010 American Heart Association, Scientific sessions, Chicago, Illinois, Nov 14, 2010.
46. Iwami T. Results with Continuous Chest Compression in Japan. Daytime Seminar 2010 American Heart Association, Scientific sessions, Chicago, Illinois, Nov 15, 2010.
 47. Kajino K, Iwami T, Daya M, Kitamura T, Sakai T, Nishiuchi T, Hayashi Y, Hiraide A, Kishi M, Yamayoshi S. Performance of North American Prehospital Termination of Resuscitation Rules in Osaka, Japan. Resuscitation Science Symposium 2010 American Heart Association, Scientific sessions, Chicago, Illinois, Nov 13, 2010.
 48. Mise N, Kurita N, Tanaka S, Tanaka M, Sai K, Nishi T, Miura S, Kigawa I, Miyairi T, Sugimoto T. Arteriovenous Vascular Access Closure in Haemodialysis Patients with Refractory Heart Failure. ISN nexus 2010, Apr 15-18, 2010, Kyoto, Japan.
 49. Nakamura F, Higashi T, Asamura H, Sobue T, Ohtani M, Mekata E, Higashide S, Shinkai T, Okamura T, National Hospital Organization Quality Indicator Study Group "Assessing the quality of lung cancer care in community cancer center hospitals in Japan." ASCO annual meeting June 1-5. Chicago, 2010
 50. Nishiyama C, Iwami T, Ando M, Kitamura T, Sakamoto T, Marukawa S, Kawamura T. Comparison of Cardiopulmonary Resuscitation Skills Long After The Training Between 45-min Simplified Chest Compression-only Cardiopulmonary Resuscitation Training and 180-min Conventional Cardiopulmonary Resuscitation Training: A Randomized Controlled Trial. Resuscitation Science Symposium 2010 American Heart Association, Scientific sessions, Chicago, Illinois, Nov 13, 2010.
 51. Sakai T, Iwami T, Kawamura T, Hayashi Y, Nishiuchi T, Ohishi Y, Rinka H, Kajibo K, Tasaki O, Shimazu T; Multi-institutional Joint Research for Shock-resistant VF. Advanced Treatments for Shock-Resistant Ventricular Fibrillation at Critical Care Medical Centers: the Utstein Osaka Project. Resuscitation Science Symposium 2010 American Heart Association, Scientific sessions, Chicago, Illinois, Nov 13, 2010.
 52. Sakamoto A, Arimura Y, Yanagi S, Matsumoto N. Clinical significance of ghrelin in advanced lung cancer. American Thoracic Society International Conference, 2010. 5, New Orleans.
 53. Tanaka M, Mise N, Ishimoto Y, Kotera N, Tanaka S, Kurita N, Sugimoto T. The effects of combined therapy of 6-day peritoneal dialysis and once weekly hemodialysis on left ventricular hypertrophy. 13th Congress of the ISPD, July 23-26, 2010, Mexico City, Mexico.

54. Wada M, Nakayama T. Antimicrobial usage and bacteriological examination : What makes carbapenem antibiotics use more frequently in treatment of lower respiratory infections? 国際疫学会西太平洋地域学術会議兼第 20 回日本疫学会学術総会, Saitama, January 9, 2010
55. Yamamoto Y, Hayashino Y, Yamazaki S, Akiba T, Akizawa T, Asano Y, Saito A, Kurokawa K, Miyachi Y, Fukuhara S. Depressive symptoms and pruritus in patients with hemodialysis. J Dermatol 37:s1 700, 2010.

<2009 年>

56. Ishikawa E, Nomura S, Murata T, Ito M, MIE Dialysis Study Group. Treatment Effect of Dietary Fiber in Hemodialysis Patients with Constipation : A Randomized Controlled Trial. ASN Renal Week 2009. F-PO1513.
57. Hasegawa T, Bragg-Gresham JL, Pisoni RL, Robinson BM, Port FK, Fukuhara S, Akizawa T. Change in Anemia Management and Hemoglobin levels after erythropoietin (EPO) bundling policy in Japan: Results from the Japan Dialysis Outcomes and Practice Patterns Study (JDOPPS). NDT Plus. 2009; 2(Suppl.2): M588
58. Irisawa T, Iwami T, Kitamura T, Sakai T, Nishiyama C, Tanigawa K, Kawamura T, Hayashida S, Hiraide A, Tasaki O, Shiozaki T, Ogura H, Kuwagata Y. An association Between Blood Pressure and Stroke Among Patients With Impaired Consciousness in Out-of-hospital Emergency Setting. American Heart Association Scientific Session, Resuscitation Science Symposium 2009 (2009 年 11 月 オランダ)
59. Kajino K, Iwami T, Daya O, Kitamura T, Sakai T, Nishiuchi T, Hayashi Y, Hiraide A, Yamayoshi S, Kishi M. Impact of supraglottic airways and endotracheal intubation on outcomes following witnessed Out-of-hospital Cardiac Arrest. American Heart Association Scientific Session, Resuscitation Science Symposium 2009 (2009 年 11 月 オランダ)
60. Nishiuchi T, Hayashino Y, Fukuhara S, Iwami T, Hayashi Y, Kajino K, Kitamura T, Hiraide A, Yukioka H, Matsuoka T. Differences in Incidence and outcome of Out-of-hospital Cardiac Arrest among communities in Osaka : The Utstein Osaka Project. American Heart Association Scientific Session 2009 (2009 年 11 月 オランダ)
61. Nishiyama C, Iwami T, Kawamura T, Kitamura T, Tanigawa K, Sakai T, Hayashida S, Hiraide A. Prodromal Symptoms of Out-of-hospital Cardiac Arrest: Report From a Large-scaled Population-based Study. American Heart Association Scientific Session 2009 (2009 年 11 月 オランダ)
62. Nishiyama C, Iwami T, Kawamura T, Kitamura T, Tanigawa K, Sakai T, Hayashida S, Hiraide A. Study finds two-thirds of out-of-hospital cardiac arrest cases had prior symptoms. American Heart Association News Conference - Scientific Sessions 2009

“Understanding Unexpected Sudden Cardiac Death” (2009年11月 オランダ)

63. Robinson B, Tong L, Bieber B, Hasegawa T, Fissell R, Wizemann V. Atrial Fibrillation (AF) in Hemodialysis (HD) Patients: Stroke Risk Stratification and Use of Anticoagulation in the Dialysis Outcomes and Practice Patterns Study (DOPPS). J Am Soc Nephrol. 2009; 20: 180A
64. Sakai T, Iwami T, Kajino K, Kitamura K, Nishiyama C, Tanaka H, Marukawa S, Kawamura T, Irisawa T, Tasaki O, Shiozaki T, Ogura H, Kuwagata Y. Effectiveness of an “AED Map on a Mobile Web” System: A Randomized Controlled Trial. American Heart Association Scientific Session, Resuscitation Science Symposium 2009 (2009年11月 オランダ)

<2008年>

65. Hasegawa T, Hirose M, Komukai D, Koiwa F, Yoshimura A. Higher Baseline Peritoneal Permeability Is Associated with Shorter Technique Survival among Peritoneal Dialysis Patients. NDT Plus. 2008; 1(Suppl.2):ii121
66. Hasegawa T, Komukai D, Hirose M, Koiwa F, Yoshimura A, Ideura T. Daily Protein Intake during the Pre-dialysis Period is related with Baseline Peritoneal Permeability. NDT Plus. 2008; 1(Suppl.2):ii122
67. Hasegawa T, Pisoni R, Bragg-Gresham J, Fukuhara S, Akizawa T, Port F. Dialysate Endotoxin Level and Mortality of Hemodialysis Patients in the United States. Hemodial Int. 2008; 12: 122
68. Hasegawa T, Pisoni RL, Bragg-Gresham JL, Fukuhara S, Akizawa T, Saito A, Goodkin D, Young E, Robinson BM, Port FK. Dialysate Endotoxin Level and Mortality of Hemodialysis Patients in the United States Based on the DOPPS. J Am Soc Nephrol. 2008; 19: 70A
69. Iwami T, Hiraide A, Nichol G, Kajino K, Nishiuchi T, Hayashi Y, Nishiyama C, Ikeuchi H, Nonogi H, Kawamura T: INTRAVENOUS EPINEPHRINE IMPROVES OUTCOME FOR CARDIAC ARRESTS WITH INITIAL RHYTHM OTHER THAN VENTRICULAR FIBRILLATION. Presented at the 9th Scientific Congress of the European Resuscitation Council. Belgium, Ghent, May 22-24, 2008.
70. Iwami T. Effectiveness of Bystander-Initiated Cardiac-Only Resuscitation for Patients with Out-of-Hospital Cardiac Arrest. Groundbreaking Studies in the Practice of Cardiovascular Medicine: Circulation Editor's Choices : 2007-2008. American Heart Association, Scientific sessions 2008 (2008年11月 ニューオーリンズ)
71. Kajino K, Iwami T, Daya M, Yonemoto N, Nishiuchi T, Hayashi Y, Irisawa T, Ikeuchi H, Tanaka H, Shimazu T, Hiraide A, Sugimoto H. Impact of Transport to Critical Care Centers vs Non-Critical Care Hospitals on Outcomes of Out-of-Hospital Cardiac Arrest in

Osaka, Japan. American Heart Association, Scientific sessions 2008 (2008年11月 ニューオーリンズ)

72. Katada F, Nishimura K, Namba Y, Nemoto T, Miyakoshi K. Accuracy of Colorimetric CO₂ Detector for Nasogastric Tube Placement in Stroke Patients with Dysphagia. Clinical Nutrition Week 2008 (2008年2月 シカゴ)
73. Katada F, Sato S, Shibayama H, Fukutake T, Hayashino Y, Fukuhara S, Nakayama T. Living Alone Is an Independent Predictor of Prehospital Delay in Patients with Acute Ischemic Stroke in Japanese Aged Society. 60th Annual Meeting of American Academy of Neurology (2008年4月 シカゴ)
74. Kawaguchi T, Tong L, Robinson B, Sen A, Fukuhara S, Kurokawa K, Canaud B, Lameire N, Port F and Pisoni R. C-Reactive Protein (CRP) and Mortality in Hemodialysis Patients: The Dialysis Outcomes and Practice Patterns Study (DOPPS). Nephrology Dialysis Transplantation Plus 2008 1(Supplement 2): ii183
75. Kitamura T, Iwami T, Nishiyama C, Tanigawa K, Ando M, Goto M, Hiraide A, Kajino K, Nishiuchi T, Hayashi Y, Ikeuchi H, Kawamura T: Effectiveness of bystander-initiated cardiopulmonary resuscitation for pediatric out-of-hospital cardiac arrest –a large-scale population-based study–. Presented at the International Resuscitation Science Symposium(I-Ress 国際蘇生科学シンポジウム), Osaka, March 19, 2008.
76. Nishiuchi T, Hayashino Y, Fukuhara S, Iwami T, Hayashi Y, Hiraide A, Ikeuchi H, Yukioka H, Kajino K, Matsuoka T. Effectiveness of CPR prior to Electrical Shock in Out-of-Hospital Cardiac Arrest Patients with Ventricular Fibrillation : A Population-based Study in a Metropolitan Area in Japan “The Utstein Osaka Project”. Resuscitation Science Symposium. American Heart Association, Scientific sessions 2008 (2008年11月 ニューオーリンズ)
77. Nishiyama C, Iwami T, Hiraide A, Nichol G, Kajino K, Nishiuchi T, Hayashi Y, Nitta M, Ikeuchi H, Nonogi H, Kawamura T: OUTCOME AFTER OUT-OF-HOSPITAL CARDIAC ARREST DEPENDS ON ACTIVITY BEFORE ARREST. Abstract Number 336. Presented at the 9th Scientific Congress of the European Resuscitation Council. Belgium, Ghent, May 22-24, 2008.
78. Nishiyama C, Iwami T, Kawamura T, Ando M, Yonemoto N, Hiraide A, Nonogi H: Effectiveness of simplified chest compression-only CPR training for the general public: a randomized controlled trial. Presented at the International Resuscitation Science Symposium(I-Ress 国際蘇生科学シンポジウム), Osaka, March 19, 2008.
79. Sakai T, Iwami T, Kajino K, Tasaki O, Nishiuchi T, Hayashi Y, Ikeuchi H, Hiraide A, Irisawa T, Kawamura T, Sugimoto H. Incidence and Outcomes of Out-of-Hospital Cardiac Arrest with Shock-resistant Ventricular Fibrillation in Osaka: Data from a Large

Population-based Cohort. American Heart Association, Scientific sessions 2008 (2008年11月 ニューオーリンズ)

80. Sakai T, Iwami T, Kajino K, Tasaki O, Nishiuchi T, Hayashi Y, Ikeuchi H, Hiraide A, Irisawa T, Kawamura T, Sugimoto H: Incidence and Outcomes of Out-of-Hospital Cardiac Arrest with Shock-resistant Ventricular Fibrillation in Osaka: Data from a Large-scaled Population-based Cohort. Presented at the International Resuscitation Science Symposium(I-Ress 国際蘇生科学シンポジウム), Osaka, March 19, 2008.
81. Tanigawa K, Iwami T, Nishiyama C, Kitamura T, Ando M, Goto M, Hiraide A, Kajino K, Nishiuchi T, Hayashi Y, Ikeuchi H, Kawamura T. Atmospheric Conditions Predict an Occurrence of Out-of-Hospital Cardiac Arrests — A 9-year Population-based Utstein-Style survey in Osaka. Presented at the International Resuscitation Science Symposium(I-Ress 国際蘇生科学シンポジウム), Osaka, March 19, 2008.
82. Tanigawa K, Iwami T, Nishiyama C, Kitamura T, Ando M, Goto M, Hiraide A, Kajino K, Nishiuchi T, Hayashi Y, Ikeuchi H, Kawamura T. Atmospheric Conditions Predict an Occurrence of Out-of-Hospital Cardiac Arrests — A 9-year Population-based Utstein-Style survey in Osaka. Resuscitation Science Symposium. American Heart Association, Scientific sessions 2008 (2008年11月 ニューオーリンズ).

<2007年>

83. Endo R, Kakisaka K, Yasumi Y, et al. Efficacy of plasma apheresis for fulminant hepatitis. Japanese Journal of Apheresis 26 suppl 2:155, 2007
84. Hasegawa T, Canaud B, Ethier J, Pisoni RL, Fukuhara S, Akizawa T. Distribution and practices associated with number of permanent vascular access placed in hemodialysis patients in DOPPS: Relationship with catheter use. Nephrol Dial Transplant 22(6):420, 2007
85. Hasegawa T, Elder SJ, Furniss AL, Pisoni RL, Fukuhara S, Akizawa T, Rayner H, Wikstrom B, Saran R, Wolfe RA, Bradbury B, Port FK. Aspirin use associated with improved arteriovenous fistula survival among incident hemodialysis patients in the Dialysis Outcomes and Practice Patterns Study. Nephrol Dial Transplant 22(6): 419, 2007
86. Iwami T, Hiraide A, Kajino K, R A Berg, Nishiuchi T, Hayashi Y, Nitta M, Hayashi T, Ikeuchi H, Nonogi H, Kawamura T. Patient Characteristics and Outcomes of Witnessed Out-of-Hospital Cardiac Arrest in Osaka: A 7-Year Emergency Medical Services Perspective in a Large Population. Resuscitation Science Symposium (American Heart Association, Scientific sessions 2007) (2007年11月 オールランド).
87. Iwami T. Impact of Layperson BLS Cardiopulmonary Resuscitation in Japan. Resuscitation Science Symposium (American Heart Association, Scientific sessions 2007) (2007年11月

オーランド).

88. Kajino K, Iwami T, R A Berg, Nitta M, Hayashi Y, Nishiuchi T, Nonogi H, Ikeuchi H, Kawamura T, Hiraide A, Tasaki O, Tanaka H, Shimazu T, Sugimoto H. Subsequent VF is Associated with Better Outcomes from Out-of-Hospital Cardiac Arrests with Initial Non-shockable Rhythms ~population-based Utstein Study In Japan~. Resuscitation Science Symposium (American Heart Association, Scientific sessions 2007) (2007年11月 オーランド).
89. Katada F, Yoshida H, Seki S, Takahashi S, Natsume T. Incidence and risk factors of nasogastric tube malposition. Nutrition Clinical Practice 22: 139, 2007
90. Kawaguchi T. Steroid Pulse Therapy Combined with Tonsillectomy for the Patients of IgA Nephropathy Who Presented with Minimal Proteinuria (0.5g/Day or Less). Journal of the American Society of Nephrology. October 2007, Vol. 18(Abstracts Issue), 558A
91. Nishiyama C, Iwami T, Kawamura T, Ando M, R A Berg, Yonemoto N, Fukuda R, Yuasa H, Kada A, Yokoyama H, Nonogi H. Effectiveness Of Cardiac-only CPR Training by Self-learning Video, a 1-hour program, or Both. Resuscitation Science Symposium (American Heart Association, Scientific sessions 2007) (2007年11月 オーランド).
92. Nishiyama C, Iwami T, Kawamura T, Ando M, R A Berg, Yonemoto N, Fukuda R, Yuasa H, Kada A, Yokoyama H, Nonogi H. Lay Rescuers' Characteristics Affect Quality of Chest Compressions during cardiac-only resuscitation. Resuscitation Science Symposium (American Heart Association, Scientific sessions 2007) (2007年11月 オーランド).
93. Nitta M, Iwami T, Shimizu N, R A Berg, Kawamura T, Hayashi T, Kajino K, Nishiuchi T, Hayashi Y, Hiraide A, Ikeuchi H, Nonogi H, Tamai H, Morita H. Outcome and Characteristics of Out-of-Hospital Pediatric Cardiac Arrest from the large-scale, population-based Utstein Osaka cohort study. Resuscitation Science Symposium (American Heart Association, Scientific sessions 2007) (2007年11月 オーランド).
94. Oba I., Kawaguchi T, Significance of the Value of Urinary Micro-Cholesterol/Urinary Total Protein Levels as an Index of Selectivity of Proteinuria:Comparison with Selectivity Index. Journal of the American Society of Nephrology. October 2007, Vol.18(Abstracts Issue), 564A

<2006年>

95. Endo R, Kakisaka K, Yasumi Y, et al. Establishment and prospective verification of early prediction and patient transferring system for fulminant hepatic failure in Japan. Hepatology 44 suppl 1:368A, 2006

96. Hasegawa T, Koiwa F, Yoshimura A. The number of enlarged parathyroid glands over 0.5 cm³ is critical for long term technique survival with percutaneous ethanol injection therapy among renal hyperparathyroidism patients. J Am Soc Nephrol 17:693A, 2006
97. Kajino K, Iwami T, Hiraide A, Kawamura T, Nonogi H, Nishiuchi T, et al. Comparison of Biphasic and Monophasic Waveform Defibrillation for Out-of-Hospital Cardiac Arrest Cases with Ventricular Fibrillation: Observations from a Large-Scale Population-Based Utstein Study in Japan. American Heart Association, Scientific sessions 2006

<2005年>

98. Iwami T, Sase K, Kakuchi H, et al. Efficacy of Bystander Initiated Chest Compression-only Cardiopulmonary Resuscitation on Ventricular Fibrillation as initial rhythm in Patients with Out-of-Hospital Cardiac Arrest; A large-scale population-based cohort study in Osaka, Japan. American Heart Association, Scientific sessions 2005, Resuscitation Scientific Symposium
99. Iwami T, Sase K, Kakuchi H, et al. Outcome of Out-of-Hospital Cardiac Arrest in a Large Metropolitan Area in Japan: A 6-year Emergency Medical Services Perspective. American Heart Association, Scientific sessions 2005, Resuscitation Scientific Symposium
100. Kajino K, Iwami T, Shimizu K, et al. The Effect of Bystander Initiated Chest Compression-Only CPR on Cardiac Arrest of Non-Cardiac Etiology. American Heart Association, Scientific sessions 2005, Resuscitation Scientific Symposium
101. Miyazaki K, Mukhara K, Kitamura K, Omura S, Sato J. Prevention of diabetes mellitus: Japanese physicians' attitudes towards publicly endorsed periodic health examinations. WONCA Asia Pacific Regional Conference, Kyoto, Japan, May 2005.

国内学会発表

<2012年>

1. 遠藤龍人. 肝臓病の栄養管理～ベッドサイドから病態を考える～. 平成 24 年度日本健康・栄養システム学会臨床栄養師継続研修(平成 24 年 6 月 22 日 盛岡)
2. 遠藤龍人, 俵万里子, 鈴木一幸. シンポジウム「NCMのNSTに果たす役割」NSTにおける臨床栄養師の役割と課題～医師の視点から. 第 12 回日本健康・栄養システム学会(平成 24 年 6 月 23 日 盛岡)
3. 遠藤龍人. 肝疾患の栄養ガイドライン～本邦の現状と今後の課題～. Morioka LC Forum (平成 24 年 8 月 27 日 盛岡)
4. 遠藤龍人. 肝疾患患者の食事と運動. 岩手県予防医学協会地域肝疾患アドバイザー養

成研修会(平成 24 年 10 月 6 日 盛岡)

5. 遠藤龍人. 肝臓病の症候(徴候)と考え方. 福島県栄養士会平成 24 年度生涯学習研修会(平成 24 年 11 月 10 日 郡山)
6. 遠藤龍人. 急性肝不全の栄養管理～エビデンスと今後の課題～. 第 38 回日本急性肝不全研究会ランチョンセミナー(平成 24 年 6 月 6 日 金沢)
7. 遠藤龍人. 健康食品、サプリメントと肝臓病. 日本肝臓病学会東北地区市民公開講座(平成 24 年 9 月 9 日 盛岡)
8. 遠藤龍人. 肝臓病の症候(徴候)と考え方 第2弾. 岩手県栄養士会平成 24 年度生涯学習研修会(平成 24 年 8 月 25 日 盛岡)
9. 宮脇 尚志, 保野 慎治, 大庭 幸治, 中尾 葉子, 笠原 正登, 藤本 明, 榊田 出, 福井 潔, 上嶋健治, 中尾 一和. 当院人間ドックにおける、肥満およびメタボリックシンドローム診断項目の年次推移:MIYAKO surveillance. 第 53 回日本人間ドック学会学術大会(2012 年 9 月 東京)
10. 大西 佳恵, 樋之津 史郎, 中尾 葉子, 川上 浩司. わが国の心血管イベント予防におけるスタチンの経済的評価. 第 50 回日本医療・病院管理学会学術総会(2012 年 9 月 東京)
11. 中尾 葉子, 保野 慎治, 宮脇 尚志, 中尾 一泰, 田中 佐智子, 藤本 明, 笠原 正登, 上嶋 健治, 中尾 一和. メタボリックシンドローム診断項目の新規発症に関する内臓脂肪蓄積の意義:MEtabolic syndRome and abdominaL ObesiTy(MERLOT 研究). 第 109 回日本内科学会プレナリーセッション(2012 年 4 月 京都)
12. 中尾 葉子, 保野 慎治, 宮脇 尚志, 中尾 一泰, 田中 佐智子, 藤本 明, 笠原 正登, 上嶋 健治, 中尾 一和. 高血圧発症に関する内臓脂肪蓄積の意義 MEtabolic syndRome and abdominaL ObesiTy(MERLOT 研究). 第 48 回日本循環器病予防学会・日本循環器管理研究協議会総会(2012 年 6 月 東京)
13. 中尾 葉子, 保野 慎治, 中尾 一泰, 宮脇 尚志, 福永 康智, 石川 健治, 田中 佐智子, 笠原 正登, 藤本 明, 細田 公則, 上嶋 健治, 中尾 一和. メタボリック症候群発症の予測因子としての内臓脂肪蓄積の意義に関する縦断的研究:MEtabolic syndRome and abdominal ObesiTy-2(MERLOT-2 研究). 第 33 回日本肥満学会(2012 年 10 月 京都)
14. NakaoYM, Yasuno S, Miyawaki T, Nakao K, Tanaka S, Fujimoto A, Kasahara M, Ueshima K, Nakao K. Impact of Visceral Adiposity on New Onset of Hypertension: MEtabolic syndRome and visceraL Obesity study 2(MERLOT 2). 第 76 回日本循環器学会学術集会 Featured Research Session(2012 年 3 月 福岡)
15. NakaoYM, Yasuno S, Miyawaki T, Nakao K, Tanaka S, Fujimoto A, Kasahara M, Ueshima K, Nakao K. Visceral Adiposity between Non-obese and Obese Populations: the MEtabolic syndRome and visceraL ObesiTy study (MERLOT). 第 76 回日本循環器学会学術集会 Featured Research Session(2012 年 3 月 福岡)

16. 徳増裕宣 EBM に基づいた、炭酸ガスガイドラインの作成 周産期新生児学会 教育セミナー 2012.7.9
17. 徳増裕宣 超早産児に対する酸素投与に関する診療ガイドライン作成の試み 新生児呼吸療法・モニタリングフォーラム 企業企画セッション 2012.2.7
18. 能城 毅、伊藤 久雄、山口 裕己、中尾 達也、岡本 茂 冠動脈瘻を伴った左心房中隔 myxoma の CT、MRI 画像評価 第 48 回日本医学放射線学会秋季臨床大会 (2012 年 9 月 29 日)
19. 能城 毅. 低線量 CT 肺がん検診で経験された緩徐増大結節と急速増大結節の評価. 第 19 回日本 CT 検診学会 学術集会 (2012 年 2 月 17-18 日 長野)
20. 富澤 信夫、能城 毅、赤羽 正章、鳥越 留美子、大友 邦. 320 列 CT による冠動脈 CTA における逐次近似 (Adaptive Iterative Dose Reduction) の有用性の検討 第 71 回日本医学放射線学会総会 (2012 年 4 月 14 日)
21. 保野 慎治, 上嶋 健治, 中尾 葉子, 田中 佐智子, 藤本 明, 笠原 正登, 荻原 俊男, 猿田 亨男, 中尾 一和. ハイリスク高血圧患者において糖尿病合併と冠動脈疾患既往が心血管イベント発症に与える影響: CASE-J Ex サブ解析. 第 1 回臨床高血圧フォーラム (2012 年 5 月 大阪)
22. 當山まゆみ、大寺祥佑、富成伸次郎. 高齢者大腿骨近位部骨折患者における回復期リハビリテーション病棟退院時の ADL と入院日数との検討. 第 49 回リハビリテーション医学会学術集会. (2012 年 6 月 福岡)

受賞歴

1. 福間真悟. 2013 年 ERA-EDTA 2013 Annual Congress (Istanbul)において The best abstract award を受賞
2. 浅井 啓太. 2012 年 24th Scientific Meeting of the International Society of Hypertension(Sydney)において”Special Travel Grant” 受賞
3. 中尾 葉子. EuroPrevent 2012 (ダブリン)において ”Winner of the best original scientific work in the Poster session” 受賞
4. 中尾 葉子. 第 33 回日本肥満学会(京都)において「若手研究奨励賞」受賞
5. 中尾 葉子. 第 48 回日本循環器病予防学会(東京)において 「日本循環器管理協議会 予防医学賞」受賞
6. 長谷川 毅. 2012 年 日本腹膜透析医学会 “Young Investigator Award” 受賞
7. 福間真悟. 2011 年 ヨーロッパ腎臓学会(プラハ)において”Best Abstracts presented by Young Authors” 受賞 (国際学会発表 1)

8. 川口 武彦. 第 45 回(2008 年)ヨーロッパ腎臓学会(ストックホルム)において”Best Abstracts presented by young Authors”受賞
9. 長谷川 毅. 第 44 回(2007 年)ヨーロッパ腎臓学会(バルセロナ)において”Eleven best abstracts presented by young authors” 受賞
10. 石見 拓. アメリカ心臓学会において”Young Investigator Award, AHA” 受賞

獲得助成金、参加委員会

1. 片多史明. ヒヤリ・ハットや事故事例の分析による医療安全対策ガイドライン作成に関する研究. 厚生科学研究費補助金 健康安全確保総合研究 医療安全・医療技術評価総合研究. 平成 18 年度研究課題 研究協力者
2. 生澤洋人. 平成 23 年度厚生労働科学研究費補助金(新型インフルエンザなど新興・再興感染症研究事業)「我が国における一類感染症の患者発生時に備えた診断・治療・予防等の臨床的対応及び 積極的疫学調査に関する研究」 協力研究者
3. 有村保次. 文部科学省科学研究費補助金若手研究(B), 平成 21 年度-23 年度, 慢性閉塞性肺疾患患者における診療過程の質とアウトカムとの関連についての研究, 研究代表(330 万円)
4. 岩田和彦. (社)日本精神保健福祉連盟 平成 23 年度 障害者総合福祉推進事業: 地域精神保健福祉活動における保健所機能強化ガイドラインの作成, 2011 年 委員
5. 遠藤龍人 厚生労働科学研究費補助金 革新的医療機器等開発事業「Online HDF を基盤とした急性肝不全用の一体型個人用人工肝補助装置の開発」(研究代表者 滝川康裕)研究分担者(2012 年度)
6. 遠藤龍人 文部科学省平成 24 年度次世代医療研究開発拠点形成事業費補助金 東北メディカル・メガバンク計画(小川 彰)プロジェクトチーム メンバー
7. 遠藤龍人. 厚生労働科学研究費補助金 難治性疾患克服研究事業 「難治性の肝・胆道疾患に関する調査研究」班 劇症肝炎分科会 治療評価に関するワーキンググループ委員
8. 遠藤龍人. 厚生労働省 肝炎等克服緊急対策研究事業 「肝発癌抑制を視野に入れた肝硬変の栄養療法のガイドライン作成を目指した総合的研究」班 分担研究者
9. 遠藤龍人. 厚生労働省 肝炎等克服緊急対策研究事業 「肝発癌抑制を視野に入れた肝硬変の栄養療法のガイドライン作成を目指した総合的研究」班 分担研究者
10. 岩田和彦. 厚生労働科学研究費補助金 こころの健康科学研究事業(課題番号 H20-こころ一般-002);精神障害者の認知機能障害を向上させるための「認知機能リハビリテーション」に用いるコンピュータソフト「Cogpack」の開発とこれを用いた「認知機能リハビリテーション」効果検討に関する研究, 2008 年~2010 年 分担研究者
11. 岩田和彦. 厚生労働省 障害者保健福祉推進事業 障害者自立支援調査研究プロジェクト; 精神障害者への訪問サービスの援助技術の確立に向けた研究, 2009 年 研究プロ

ジェクト委員

12. 高橋吾郎. 日本医療機能評価機構 診療ガイドライン評価ワーキンググループメンバー
13. 高橋吾郎. 日本耳科学会 滲出性中耳炎診療ガイドライン委員
14. 市川佳世子. 公益財団法人 明治安田こころの健康財団 2011 年度研究助成『高機能自閉症児に対するソーシャルスキルプログラムの効果に関するランダム化比較試験ーパイロットスタディー』
15. 杉岡隆. 親の観察から得られる重症感と子供の疾患の重症度との関連に関する研究. 厚生労働科学研究補助金 政策科学推進研究事業. 平成 19 年度研究課題 研究協力者
16. 西田俊彦, 森臨太郎. 新生児心肺蘇生法講習会の効果に関する前方視的クラスターランダム化比較試験. 厚生科学研究費補助金 子ども家庭総合研究事業. 平成 20 年度研究課題 研究協力者
17. 西田俊彦. 平成 23 年度厚生労働科学研究・地域医療基盤開発推進研究事業「周産期医療の質と安全の向上のための研究」研究協力者
18. 西田俊彦. 平成 24 年度厚生労働科学研究・地域医療基盤開発推進研究事業「周産期医療の質と安全の向上のための研究」研究協力者
19. 西田俊彦. 未熟児動脈管開存症診療ガイドライン作成メンバー
20. 西田俊彦. 日本周産期・新生児医学会 日本版新生児心肺蘇生法 NCPR 改訂準備部会委員
21. 西田俊彦. 平成 22 年度厚生労働科学研究・成育疾患克服等次世代育成基盤研究事業「重症新生児のアウトカム改善に関する多施設共同研究」研究協力者
22. 西田俊彦. 平成 22 年度厚生労働科学研究・特別研究事業「周産期医療の質と安全の向上のための戦略研究」に関するフィージビリティ・スタディー 分担研究者
23. 石見拓. 財団法人 ファイザーヘルスリサーチ振興財団 平成22年度研究助成「院外心停止症例救命のための効果的救急医療体制構築に関する研究」The Medtronic Foundation (メドトロニック財団)The Foundation's Heart Rescue grant program “PUSH Project for schools”
24. 石見拓. 財団法人 救急振興財団 平成 22 年度救急に関する調査研究事業助成「ウツタイン統計並びに救急活動記録を用いた、救急搬送時における傷病者急変の予防と対応のための危険因子や前駆症状の検討」
25. 石川英二. 日本腎臓学会 CKD 診療ガイドライン作成ワーキンググループ委員
26. 石川英二. 便秘を伴う血液透析患者を対象とした食物繊維摂取が血清リン値および生活の質に及ぼす効果の検討. 競争的研究資金の獲得(主任)平成 19 年度日本腎臓財団腎不全病態研究助成 助成額 500,000 円
27. 中尾 葉子. 2012 年度 公益信託 タニタ健康体重基金 研究助成「メタボリックシンドローム発症における内臓脂肪蓄積の意義に関する縦断的研究:MEtabolic syndRome and

abdominal Obesity (MERLOT) study」

28. 中尾 葉子. 平成 24 年度循環器疾患・糖尿病等生活習慣病対策総合研究事業「肥満および関連疾患に対する政策に関する国際比較研究－日本における肥満施策のための基礎分析」研究協力者
29. 徳増裕宣. エイズ予防のための戦略研究 モニタリング委員
30. 徳増裕宣. 感覚器障害戦略研究 モニタリング委員
31. 富成伸次郎. 平成 22 年度厚生労働科学研究・エイズ対策研究事業「HIV 感染症の医療体制の整備に関する研究」研究協力者
32. 富成伸次郎. 平成 22 年度厚生労働科学研究・エイズ対策研究事業「HIV 感染症の医療体制の整備に関する研究」研究協力者
33. 富成伸次郎. 平成 24 年度厚生労働科学研究費補助金エイズ対策研究事業「HIV 感染症及びその合併症の課題を克服する研究」研究協力者
34. 米野琢哉. 再発高齢者悪性リンパ腫に対する Rituximab, Mitoxantrone, Etoposide, Prednisolone 併用療法の第Ⅱ相臨床試験. 国立病院機構共同臨床研究 政策医療ネットワーク共同研究 血液造血器疾患分野 平成 18 年度研究課題
35. 有村保次. 文部科学省科学研究費補助金若手研究(B), 平成 21 年度-23 年度, 慢性閉塞性肺疾患患者における診療過程の質とアウトカムとの関連についての研究, 研究代表(330 万円)
36. 當山まゆみ, 中山健夫. 平成 22 年度老人保健事業推進費等補助金(老人保健健康増進等事業分)「回復期リハビリテーションにおいて装具を作成した患者の検討」分担研究者.
37. 當山まゆみ, 中山健夫. 平成 22 年度老人保健事業推進費等補助金(老人保健健康増進等事業分)「高齢者の胃瘻造設前後におけるリハビリテーションの現状の検討」分担研究者.
38. 當山まゆみ. 文部科学研究費補助金基盤研究 B、緩和ケアへの移行と実施の円滑化に向けた研究:診療ガイドラインと QOL 評価の課題(代表研究者・宮崎貴久子)2009 年度～2011 年度. 研究協力者.